

## Section IV. Smoking Cessation Interventions for Patients Implemented by Nurses (1986 To 2010)

### 2010

Froelicher, E. S., Doolan, D., Yerger, V. B., McGruder, C. O., & Malone, R. E. (2010). Combining community participatory research with a randomized clinical trial: The protecting the hood against tobacco (PHAT) smoking cessation study. *Heart & Lung: The Journal of Acute and Critical Care*, 39(1), 50-63. doi:10.1016/j.hrting.2009.06.004. PMID: [20109986](#)

Kwong, J., Bouchard-Miller, Kathryn. (2010). Smoking Cessation for Persons Living With HIV: A Review of Currently Available Interventions. *Journal of the Association of Nurses in AIDS Care*,21(1)3-10. doi:10.1016/j.jana.2009.03.007, PMID: [19804995](#) .

Reid, R. D., Mullen, K.A., Slovinec D'Angelo, M.E., Aitken, D.A. Papadakis, S., Haley, P.M. McLaughlin, C.A.,and Pipe,A.L. (2010). Smoking cessation for hospitalized smokers: An evaluation of the "Ottawa Model". *Nicotine & Tobacco Research Advance*. 12(1):11-8. doi:10.1093/ntr/ntp165. PMID: [19903737](#)

Winickoff, J., P., Healey, E.A., Regan, S., Park, E.R., Cole, C., Friebely, J., Rigotti, N.A. (2010). Using the Postpartum Hospital Stay to Address Mothers' and Fathers' Smoking: *The NEWS Study; Pediatrics*, 125(3): 528-25. doi:10.1542/peds.2009-0356. PMID:[20123776](#)

### 2009

Alpert, P. T. (2009). Smoking Cessation: Difficult but not Impossible. *Home Health Care Management & Practice*, Feb 2009; vol. 0: pp. 1084822308329256v1.

Ashwin, C., Watts, K. (2009). Exploring the views of women on using nicotine replacement therapy in pregnancy. *Midwifery*, Jan 29. [Epub ahead of print].

Bailey, P.H., Montgomery, P., & Boyles, C.M. (2009). COPD stories of complex causal "truths" "Sure I've smoked all my life/but I also put in 37 years at the mine". *J Clinical Nurs.*, 8(14), 1994 - 2002. PMID: 19374690. (<http://www.ncbi.nlm.nih.gov/pubmed/19374690>) doi: 10.1111/j.1365-2702.2008.02719.x

Bottorff, J. L., Robinson, C. A., Sullivan, K. M., & Smith, M. L. (2009). Continued Family Smoking After Lung Cancer Diagnosis: The Patient's Perspective. *Oncology Nursing Forum*, 36(3), E126-E132.

Browning, K. K., Wewers, M. E., Ferketich, A. K., Otterson, G. A., & Reynolds, N. R. (2009). The Self-regulation Model of Illness Applied to Smoking Behavior in Lung Cancer. *Cancer Nurs.*, 32(4). PMID: 19444080 ( <http://www.ncbi.nlm.nih.gov/pubmed/19444080> ) doi:10.1097/NCC.0b013e3181a0238f

Carlebach, S., & Hamilton, S. (2009). Understanding the nurse's role in smoking cessation. *Br J Nurs.* , 24; 18(11):672-4, 676. PMID: 19525911 Retrieved from [http://www.internurse.com/cgi-bin/go.pl/library/article.cgi?uid=42719;article=BJN\\_18\\_11\\_672\\_676](http://www.internurse.com/cgi-bin/go.pl/library/article.cgi?uid=42719;article=BJN_18_11_672_676)

Cooley, M. E., Sarna, L., Kotlerman, J., Lukanich, J. M., Jaklitsch, M., Green, S. B., et al. (2009). Smoking cessation is challenging even for patients recovering from lung cancer surgery with curative intent. *Lung Cancer*, In Press, Corrected Proof. - still in press?

Ergul, S., Temel ,AB. (2009). The effects of a nursing smoking cessation intervention on military students in Turkey. *Int Nurs Rev.*, Mar;56(1):102-8.

Forest, S. (2009). Preventing postpartum smoking relapse: an opportunity for neonatal nurses. *Adv Neonatal Care*, 9(4):148-55. PMID: 19696568 ( <http://www.ncbi.nlm.nih.gov/pubmed/19696568> )  
doi:10.1097/ANC.0b013e3181a68afd

Holtrop, J. S., Dosh, S. A., Torres, T., Arnold, A. K., Baumann, J., White, L. L., et al. (2009). Nurse consultation support to primary care practices to increase delivery of health behavior services. *Applied Nursing Research*, 22(4), 243-249. doi:10.1016/j.apnr.2008.02.003. PMID: **19875038**

Katz, D.A., Vander, Weg M., Fu, S., Prochazka, A., Grant, K.M., Buchanan, L., Tinkelman, D., Reisinger, H.S., Brooks, J., Hillis, S.L., Joseph, A.M., & Titler, M. (2009). A before-after implementation trial of smoking cessation guidelines in hospitalized veterans. *Implement Sci.*, 4(1):58. [Epub ahead of print] PMID: 19744339 (<http://www.ncbi.nlm.nih.gov/pubmed/19744339>) doi:10.1186/1748-5908-4-58

Naegle, M., Baird, C., Stein, K.F. (2009). Psychiatric Nurses as Champions for Smoking Cessation *Journal of the American Psychiatric Nurs Assoc*, 15(1); 21-23.

Percival, J. (2009). Smoking cessation 1 & 2: best practice and treatment and support options for patients. *Nurs Times.*, Sep 29-Oct 5;105(38):21-3. PMID: **19863032, 19860065**

Simmons, V. N., Litvin, E.B., Patel, R.D., Jacobsen, P.B., McCaffrey, J.C., Bepler, G., Quinn, G.P., Brandon, T.H. (2009). Patient-provider communication and perspectives on smoking cessation and relapse in the oncology setting. *Patient Educ Couns.*, 77(3):398-403. doi:10.1016/j.pec.2009.09.024. PMID: **19846270**

Smith, P., Burgess, E. (2009). Smoking cessation initiated during hospital stay for patients with coronary artery disease: a randomized controlled trial. *CMAJ*, 180(13):1283-4. PMID: 19546455 (<http://www.ncbi.nlm.nih.gov/pubmed/19546455>) doi:10.1503/cmaj.080862. (<http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=2696525&blobtype=pdf>)

Tremblay, M., Cournoyer, D., O'Loughlin, J. (2009). Do the correlates of smoking cessation counseling differ across health professional groups? *Nicotine & Tobacco Research Advance*.11(11): 1330-8. doi:10.1093/ntr/ntp142. PMID: **19770488**

Wewers, M. E., Ferketich, A.K., Harness, J., Paskett, E.D. (2009). Effectiveness of a Nurse-Managed, Lay-Led Tobacco Cessation Intervention Among Ohio Appalachian Women. *Cancer Epidemiol Biomarkers Prev.*, 18(12):3451-8. doi: 10.1158/1055-9965.EPI-09-0952. PMID: **19959695**

## 2008

Bollinger, C., van Biljon, X, Humair, J., El Fehri, V., Cornuz, J. (2008). "Promoting hospital-based smoking cessation services at major Swiss hospitals: A before and after study." *Swiss Med Wkly* 138((29-30)): 427-431.

Bryant, S. (2008). "Smoking cessation strategies by nurses in an acute care setting." *J Nurses Staff Dev* Jan-Feb;24(1):31-5.

Buchanan, L., Likness S. (2008). "Evidence-based practice to assist women in hospital settings to quit smoking and reduce cardiovascular disease risk." *J Cardiovasc Nurs* 23(5): 397-406.

Bullock, L., K. D. Everett, et al. (2008). "Baby BEEP: A Randomized Controlled Trial of Nurses' Individualized Social Support for Poor Rural Pregnant Smokers." *Matern Child Health J.* 53(1)68-74.

Caraballo, R., Yee, SL, Gfroerer, J, Mirza, SA. (2008). "Adult tobacco use among racial and ethnic groups living in the United States, 2002-2005." *Prev Chronic Dis.* Jul;5(3):A78. Epub 2008 Jun 15.

Clancy, C. M. (2008). "Quitting smoking: helping patients kick the habit." *Nurs Womens Health* 12(4): 282-4.

Dennis, C., Kingston, D. (2008). A systematic review of telephone support for women during pregnancy and the early postpartum period. *J Obstet Gynecol Neonatal Nurs.*, May-Jun;37(3):301-14.

Dennison, C., Hughes, S. (2008). "Progress in prevention: new guideline for tobacco use and dependence provides arsenal of effective interventions." *J Cardiovasc Nurs.* (Sep-Oct;23(5):383-5.).

Doolan D, Froelicher E. (2008). Smoking cessation interventions and older adults. *Prog Cardiovasc Nurs.* 2008 Summer;23(3):119-27.

Duffy SA, Reeves P, Hermann C, Karvonen C, Smith P. (2008). In-hospital smoking cessation programs: what do VA patients and staff want and need? *Appl Nurs Res.* 2008 Nov;21(4):199-206.

Ginn, M., Cox, G, Heath, J. (2008). "Evidence-Based Approach to an Inpatient Tobacco Cessation Protocol." *AACN Adv Crit Care.* July/September. 19(3):268-278.

Houghton, C., Marcukaitis, AW, Shirk Marienau, ME, Hooten, M, Stevens, SR, Warner, DO. (2008). "Tobacco Intervention Attitudes and Practices Among Certified Registered Nurse Anesthetists. ." *Nurs Res.* 57(2), 123-9.

McGowan, A., S. Hamilton, et al. (2008). "Breathe': the stop smoking service for pregnant women in Glasgow." *Midwifery.* (Epub ahead of print)

Merrill, M., Madanat, H. et al. (2008). "Nurse and physician patient counseling about tobacco smoking in Jordan." *Promot Educ* 15(3): 9-14.

Rayens, M. K., Burkhart, P.V et al. (2008). "Reduction in asthma-related emergency department visits after implementation of a smoke-free law." *Journal of Allergy and Clinical Immunology.* Sep;122(3):537-41.e3. Epub .

Sarna, L., Bialous, SA, Cooley, ME, Jun, HJ, Feskanich, D. (2008). "Impact of smoking and smoking cessation on health-related quality of life in women in the Nurses' Health Study." *Qual Life Res.*17(10), 1217-27.

Sarna, L., Bialous, SA, Jun, HJ, et al. (2008). " Smoking Trends in the Nurses. ." *Nurs Res* 57(6), 374-382.

Skorpen, A., N. Anderssen, et al. (2008). "The smoking-room as psychiatric patients' sanctuary: a place for resistance." *J Psychiatr Ment Health Nurs* 15(9): 728-36.

Snyder, M., J. McDevitt, et al. (2008). "Smoking cessation and serious mental illness." *Arch Psychiatr Nurs* 22(5): 297-304.

Woody, D., C. DeCristofaro, et al. (2008). "Smoking cessation readiness: are your patients ready to quit?" *J Am Acad Nurse Pract* 20(8): 407-14.

Zarling, K. K., M. V. Burke, et al. (2008). "Registered nurse initiation of a tobacco intervention protocol: leading quality care." *J Cardiovasc Nurs* 23(5): 443-8.

## **2007**

Abatemarco, D. J., Steinberg, M. B., & Delnevo, C. D. (2007). Midwives' Knowledge, Perceptions, Beliefs, and Practice Supports Regarding Tobacco Dependence Treatment. *Journal of Midwifery & Women's Health*, 52(5), 451-457.

Andrews, J., O. Felton, Gwen, Wewers, Mary Ellen, Waller, Jennifer, Tingen, Martha (2007). The effect of a multi-component smoking cessation intervention in African American women residing in public housing. *Research in Nursing & Health*, 30(1), 45-60.

Andrus, M. R., & Clark, D. B. (2007). Provision of pharmacotherapy services in a rural nurse practitioner clinic. *Am J Health Syst Pharm*, 64(3), 294-297.

Aveyard, P., Brown, K., Saunders, C., Alexander, A., Johnstone, E., Munafo, M., et al. (2007). A randomised controlled trial of weekly versus basic smoking cessation support in primary care. *Thorax*, thx.2006.071837.

Barron, J., Petrilli, F., Strath, L., McCaffrey, R. (2007). Successful interventions for smoking cessation in pregnancy. *MCN Am J Matern Child Nurs.* , Jan-Feb;32(1):42-7; quiz 48-9.

Chair, S., Lee, SF, Lopez, V, Ling, EM. (2007). Risk factors of Hong Kong Chinese patients with coronary heart disease. *J Clin Nurs.* , Jul;16(7):1278-84.

Cooley, M. E., Sarna, L., Brown, J. K., Williams, R. D., Chernecky, C., Padilla, G., et al. (2007). Tobacco use in women with lung cancer. *Ann Behav Med*, 33(3), 242-250.

French, G. M., Groner, J. A., Wewers, M. E., & Ahijevych, K. (2007). Staying smoke free: An intervention to prevent postpartum relapse. *Nicotine & Tobacco Research*, 9(6), 663-670.

Gies, C., Buchman, D, Robinson, J, Smolen, D. (2007). Effect of an Inpatient Nurse-Directed Smoking Cessation Program. *West J Nurs Res.* Jun 5; [Epub ahead of print].

Hall, S., Reid, E, Ukoumunne, OC, Weinman, J, Marteau, TM. (2007). Brief smoking cessation advice from practice nurses during routine cervical smear tests appointments: a cluster randomised controlled trial assessing feasibility, acceptability and potential effectiveness. *Br J Cancer*, Apr 9;96(7):1057-61.

Kotz, D., van Litsenburg, W., van Duurling, R., van Schayck, C. P., & Wesseling, G. J. (2007). Smoking cessation treatment by Dutch respiratory nurses: Reported practice, attitudes and perceived effectiveness. *Patient Education and Counseling*, In Press, Corrected Proof.

Kunyk, D., Els C, Predy G, Haase M. (2007). Development and introduction of a comprehensive tobacco control policy in a Canadian regional health authority. *Prev Chronic Dis.* , Apr;4(2):A30.

Lawrence, C., Foldes, SA, Alesci, NL, Bluhm, JH, Bland, PC, Davern, ME. . (2008). The Impact of Smoking-Cessation Intervention by Multiple Health Professionals. *American Journal of Preventive Medicine* Volume 34, Issue 1, January 2008, Pages 54-60.

Nides, M., Leischow, S, Sarna, L, Evans, SE. (2007). Maximizing smoking cessation in clinical practice: pharmacologic and behavioral interventions. *Prev Cardiol, Spring;10(2 Suppl 2):23-30.*

Reid, R. D., Pipe, A. L., Quinlan, B., & Oda, J. (2007). Interactive voice response telephony to promote smoking cessation in patients with heart disease: A pilot study. *Patient Education and Counseling*, In Press, Corrected Proof.

Rigotti, N., Munafo, M., & Stead, L. (2007). Interventions for smoking cessation in hospitalised patients. *Cochrane Database Syst Rev*(3), CD001837.

Segaar, D., Willemsen, Marc C., Bolman, Catherine, De Vries, Hein (2007). Nurse adherence to a minimal-contact smoking cessation intervention on cardiac wards. *Research in Nursing & Health*, 30(4), 429-444.

Stephenson KR, Allen PJ (2007). The role of pediatric primary care providers in parental smoking cessation: assessing and motivating parents to quit. *Pediatr Nurs*.Sep-Oct;33(5):434-41.

Svavarsdottir, M. H., & Hallgrimsdottir, G. (2007). Participation of Icelandic nurses in smoking cessation counselling. *J Clin Nurs*.

## 2006

Albrecht, S. A., Caruthers, D., Patrick, T., Reynolds, M., Salamie, D., Higgins, L. W., et al. (2006). A randomized controlled trial of a smoking cessation intervention for pregnant adolescents. *Nurs Res*, 55(6), 402-410.

Aveyard, P., Lawrence, T., Cheng, K., Griffin C., Croghan, E., Johnson, C. (2006). "A randomized controlled trial of smoking cessation for pregnant women to test the effect of a transtheoretical model-based intervention on movement in stage and interaction with baseline stage." *Br J Health Psychol* May;11(Pt 2):263-78.

Ayadi, M. F., Adams, E.K., Melvin, C.L., Rivera, C.C., Gaffney, C.A., Pike, J., Rabius, V., Ferguson, and JN. (2006). "Costs of a smoking cessation counseling intervention for pregnant women: comparison of three settings." *Public Health Rep.* Mar-Apr;121(2):120-6

Britton, G. R. A., Brinthaup, J., Stehle, J.M., James, G.D. (2006). "The effectiveness of a nurse-managed perinatal smoking cessation program implemented in a rural county." *Nicotine Tob Res.*2006 Feb;8(1):13-28.

Burkett, J. S. (2006). "The use of the nicotine inhaler in smoking cessation." *Journal of the American Academy of Nurse Practitioners* 18(3): 83-91.

Chan, S. and T. H. Lam (2006). "Protecting sick children from exposure to passive smoking through mothers' actions: a randomized controlled trial of a nursing intervention." *Journal of Advanced Nursing* 54(4): 440-449.

de Vries, H., M. Bakker, et al. (2006). "The effects of smoking cessation counseling by midwives on Dutch pregnant women and their partners." *Patient Education and Counseling* In Press, Corrected Proof.

Doolan, D. M., Froelicher, E.S. (2006). "Efficacy of Smoking Cessation Intervention Among Special Populations: Review of the Literature From 2000 to 2005." *Nurs Res.* July/August;55(4 Suppl 1):S29-S37.

Gaffney, K. F. (2006). "Postpartum Smoking Relapse and Becoming a Mother." *Journal of Nursing Scholarship* 38(1): 26-30.

Graham-Garcia, J., George-Gay, B., Heater, D., Butts, A., Heath, J. (2006). "Application of the Synergy Model with the surgical care of smokers." *Crit Care Nurs Clin North Am.* Mar;18(1):29-38, xi-xii.

Green, J. S., Briggs, L. (2006). "Tobacco cessation in acute and critical care nursing practice: challenges and approaches." *Crit Care Nurs Clin North Am.* 18(1):81-93.

Keltner, N., Grant, Joan. (2006). Smoke, Smoke, Smoke That Cigarette. *Perspectives In Psychiatric Care*, 42(4), 256-261.

Lawn, S. and J. Condon (2006). "Psychiatric nurses' ethical stance on cigarette smoking by patients: Determinants and dilemmas in their role in supporting cessation." *International Journal of Mental Health Nursing* 15(2): 111-118.

McEwen, A., R. West, et al. (2006). "Effectiveness of specialist group treatment for smoking cessation vs. one-to-one treatment in primary care." *Addictive Behaviors*, 31(9), 1650-1660.

Miller, K. L., Armstrong, M. (2006). "Developmental concepts of nicotine addiction." *J Pediatr Nurs.* Apr;21(2):108-14.

Miller, N. (2006). "Translating smoking cessation research findings into clinical practice: the "staying free" program." *Nurs Res.* Jul-Aug;55(4 Suppl 1):S38-43.

O'Connell K, A., Hosein, V. L., & Schwartz, J. E. (2006). Thinking and/or doing as strategies for resisting smoking. *Res Nurs Health*, 29(6), 533-542.

Pbert, L., S. K. Osganian, et al. (2006). "A school nurse-delivered adolescent smoking cessation intervention: A randomized controlled trial." *Preventive Medicine* In Press, Corrected Proof.

Pbert, L., Fletcher, K. E., Flint, A. J., Young, M. H., Druker, S., & DiFranza, J. (2006). Smoking Prevention and Cessation Intervention Delivery by Pediatric Providers, as Assessed With Patient Exit Interviews. *Pediatrics*, 43(4), 312-320.

Persson, L. G. and A. Hjalmarson (2006). "Smoking cessation in patients with diabetes mellitus: Results from a controlled study of an intervention programme in primary healthcare in Sweden." *Scand J Prim Health Care* 24(2): 75-80.

Pletsch, P. K. (2006). "A Model for Postpartum Smoking Resumption Prevention for Women Who Stop Smoking While Pregnant." *Journal of Obstetric, Gynecologic, & Neonatal Nursing* 35(2): 215-222.

Price, J. H., T. R. Jordan, et al. (2006). "Perceptions and Use of Smoking Cessation in Nurse-Midwives' Practice." *Journal of Midwifery & Women's Health* 51(3): 208-215.

Quist-Paulsen, P., Lydersen, S., Bakke, P.S., Gallefoss, F. (2006). "Cost effectiveness of a smoking cessation program in patients admitted for coronary heart disease." *Eur J Cardiovasc Prev Rehabil.* Apr;13(2):274-80.

Rapp, K., G. Buchele, et al. (2006). "A cluster-randomized trial on smoking cessation in German student nurses." *Preventive Medicine*, 42(6), 443-448..

Rice, V. H. (2006). "Nursing intervention and smoking cessation: Meta-analysis update." *Heart & Lung: The Journal of Acute and Critical Care* 35(3): 147-163.

Rigotti, N., Park, ER, Regan, S, Chang, Y, Perry, K, Loudin, B, Quinn, V. (2006). Efficacy of telephone counseling for pregnant smokers: a randomized controlled trial. *Obstet Gynecol.* , Jul;108(1):83-92.

Scanlon, A. (2006). Nursing and the 5As guideline to smoking cessation interventions. *Aust Nurs J.*, Nov;14(5):25-8.

Schultz, A., Johnson JL, Bottorff JL. (2006). Registered nurses' perspectives on tobacco reduction: views from Western Canada. *Can J Nurs Res.* Dec;38(4):192-211.

Segaar, D., C. Bolman, et al. (2006). "Identifying determinants of protocol adoption by midwives: a comprehensive approach." *Health Educ. Res.:* cyl046.

Sherman, S. E., Joseph, A.M., Yano, E.M., Simon, B.F., Arikian, N., Rubenstein, L.V., Parkerton, P., and B. S. Mittman (2006). "Assessing the institutional approach to implementing smoking cessation practice guidelines in veterans health administration facilities." *Mil Med.* Jan;171(1):80-7.

Thyrian, J. R., Hannover, W., Roske, K., Scherbarth, S., Hapke, U., & John, U. (2006). Midwives' attitudes to counselling women about their smoking behaviour during pregnancy and postpartum. *Midwifery*, 22(1), 32-39.

Tingen, M. S., J. L. Waller, et al. (2006). "Tobacco prevention in children and cessation in family members." *Journal of the American Academy of Nurse Practitioners* 18(4): 169-179.

Ulbricht, S., C. Meyer, et al. (2006) "Provision of smoking cessation counseling by general practitioners assisted by training and screening procedure." *Patient Education and Counseling* In Press, Corrected Proof.

Wells, M., Sarna, L, Bialous, SA. (2006). "Nursing Research in Smoking Cessation: A Listing of the Literature, 1996-2005." *Nurs Res.* July/August;55(4 Suppl 1):S16-S28.

Wewers, M., Sarna, L, Rice, VH. (2006). "Nursing Research and Treatment of Tobacco Dependence: State of the Science." *Nurs Res.* July/August;55(4 Suppl 1):S11-S15.

Whyte, R. E., H. E. Watson, et al. (2006). "Nurses' opportunistic interventions with patients in relation to smoking." *Journal of Advanced Nursing* 55(5): 568-577.

Wilson, J. S., Fitzsimons, D., Bradbury, I., & Stuart Elborn, J. (2006). Does additional support by nurses enhance the effect of a brief smoking cessation intervention in people with moderate to severe chronic obstructive pulmonary disease? A randomised controlled trial. *International Journal of Nursing Studies*, 19(4), 197-203.

Wynd, C. A. (2006). Smoking patterns, beliefs, and the practice of healthy behaviors in abstinent, relapsed, and recalcitrant smokers. *Appl Nurs Res*, 19(4), 197-203.

Yankie, V. M., Price, H.M., Nanfite, E.R., Jasinski, D.M., Crowell, N.A., Heath, J. (2006). "Providing smoking cessation counseling: a national survey among nurse anesthetists." *Crit Care Nurs Clin North Am*. 2006 Mar;18(1):131-8.

## 2005

Abrahamsson, A., J. Springett, et al. (2005). "Some lessons from Swedish midwives' experiences of approaching women smokers in antenatal care." *Midwifery* 21(4): 335-345.

Aveyard, P., T. Lawrence, et al. (2005). "The influence of in-pregnancy smoking cessation programmes on partner quitting and women's social support mobilization: a randomized controlled trial." *BMC Public Health* 5(1): 80.

Beldon, A., Crozier, S. (2005). "Health promotion in pregnancy: the role of the midwife." *J R Soc Health*(Sep;125(5):216-20.).

Borrelli, B., Novak, S., Hecht, J., Emmons, K., Papandonatos, G., & Abrams, D. (2005). Home health care nurses as a new channel for smoking cessation treatment: Outcomes from project CARES (Community-nurse Assisted Research and Education on Smoking). *Preventive Medicine*, 41(5-6), 815- 821.

Bradshaw, T., Lovell, K., Harris, N. (2005). "Healthy living interventions and schizophrenia: a systematic review." *J Adv Nurs*, 49(6), 634-54.

Chan, S. S. C., T. H. Lam, et al. (2005). "A randomized controlled trial of an individualized motivational intervention on smoking cessation for parents of sick children: a pilot study." *Applied Nursing Research* 18(3): 178-181.

Chouinard, M. C. and S. Robichaud-Ekstrand (2005). "The effectiveness of a nursing inpatient smoking cessation program in individuals with cardiovascular disease." *Nurs Res* 54(4): 243-54.

Condliffe, L., A. McEwen, et al. (2005). "The attitude of maternity staff to, and smoking cessation interventions with, childbearing women in London." *Midwifery* 21(3): 233-240.

Coultas, D., J. Frederick, et al. (2005). "A Randomized Trial of Two Types of Nurse-Assisted Home Care for Patients With COPD." *Chest* 128(4): 2017-2024.

Crawford, M. A., Woodby, L. L., Russell, T. V., & Windsor, R. A. (2005). "Using formative evaluation to improve a smoking cessation intervention for pregnant women". *Health Commun*, 17(3), 265-281.

Ferreira-Borges, C. (2005). "Effectiveness of a brief counseling and behavioral intervention for smoking cessation in pregnant women." *Preventive Medicine* 41(1): 295-302.

Freund, M., E. Campbell, et al. (2005). "Smoking care provision in smoke-free hospitals in Australia." *Preventive Medicine* 41(1): 151-158.

Groner, J., French, G, Ahijevych, K, Wewers, ME. (2005). "Process evaluation of a nurse-delivered smoking relapse prevention program for new mothers." *J Community Health Nurs Fall*;22(3):157-67.

Hall, S., F. Vogt, et al. (2005). "A short report: survey of practice nurses' attitudes towards giving smoking cessation advice." *Fam. Pract.:* cmi082.

Hamilton, G., Cross, D., Resnicow, K., & Hall, M. (2005). "A school-based harm minimization smoking intervention trial: outcome results". *Addiction*, 100(5), 689-700.

Hilberink, S. R., Jacobs, J. E., Bottema, B. J., de Vries, H., & Grol, R. P. (2005). Smoking cessation in patients with COPD in daily general practice (SMOCC): six months' results. *Prev Med*, 41(5-6), 822-827.

- Holtrop, J. S., Wadland, W. C., Vansen, S., Weismantel, D., & Fadel, H. (2005). Recruiting health plan members receiving pharmacotherapy into smoking cessation counseling. *Am J Manag Care*, 11(8), 501-507.
- Huang, C. L. (2005). Evaluating the program of a smoking cessation support group for adult smokers: a longitudinal pilot study. *J Nurs Res*, 13(3), 197-205.
- Johnston, J. M., Chan, S. S. C., Chan, S. K. K., Lam, T. H., Chi, I., & Leung, G. M. (2005). "Training nurses and social workers in smoking cessation counseling: a population needs assessment in Hong Kong." *Prev Med* 40(4), 389-406.
- Kim, J.R., Lee, M.Y.S., Hwang, J.Y., Lee, J.D. (2005). "Efficacy of a smoking cessation intervention using the AHCPR guideline tailored for Koreans: a randomized controlled trial". *Health Promotion Intl*, 20, 51-59.
- Krowchuk, H. (2005). "Effectiveness of adolescent smoking prevention strategies." *MCN Am J Matern Child Nurs.*, Nov-Dec;30(6):366-72
- Lawrence, T., P. Aveyard, et al. (2005). "Does stage-based smoking cessation advice in pregnancy result in long-term quitters? 18-month postpartum follow-up of a randomized controlled trial." *Addiction* 100(1): 107-16.
- Malone, R. E. (2005). "New Practical Book Helps Nurses to Help Patients Stop Smoking Using the Five A's: Ask, Advise, Assess, Assist, Arrange." *Journal of Emergency Nursing* 31(5): 497-499.
- McLeod, D., Cornford, E., Pullon, S., de Silva, K., & Simpson, C. (2005). "Can Quit Practice: a comprehensive smoking cessation programme for the general practice team". *N Z Med J*, 118(1213), U1415.
- Nagle, A. L., Hensley, M. J., Schofield, M. J., & Koschel, A. J. (2005). "A randomised controlled trial to evaluate the efficacy of a nurse-provided intervention for hospitalised smokers." *Aust N Z J Public Health*, 29(3), 285-291.
- Ong, K. C., Cheong, G. N., Prabhakaran, L., & Earnest, A. (2005). "Predictors of success in smoking cessation among hospitalized patients." *Respirology*, 10(1), 63-69.
- Ott, C. H., Plach, S. K., Hewitt, J. B., Cashin, S. E., Kelber, S., Cisler, R. A., et al. (2005). Smoking-related health behaviors of employees and readiness to quit: basis for health promotion interventions. *Aaohn J*, 53(6), 249-256.
- Pearlstein, I. (2005). Evidence-based practice: A theory-based tobacco dependence treatment at an adolescent health clinic. *N J Nurse*, 35(1), 15.
- Puska, P. M., Barrueco, M., Roussos, C., Hider, A., & Hogue, S. (2005). "The participation of health professionals in a smoking-cessation programme positively influences the smoking cessation advice given to patients". *Int J Clin Pract*, 59(4), 447-452.
- Scheibmeir MS, O'connell KA, Aaronson LS, Gajewski B. "Smoking cessation strategy use among pregnant ex-smokers." *West J Nurs Res*. 2005 Jun;27(4):411-27.
- Sharp, L. M., RN; Tishelman, Carol PhD, RN (2005). "Smoking Cessation for Patients With Head and Neck Cancer." *Cancer Nursing* 28(3):226-235, May/June 20.
- Sheahan, S., Free, TA. (2005). "Counseling parents to quit smoking." *Pediatr Nurs* Mar-Apr;31(2):98-102, 105-9.
- Sol, B. G. M., van der Bijl, J. J., Banga, J.-D., & Visseren, F. L. J. (2005). "Vascular risk management through nurse-led self-management programs." *J Vasc Nurs*, 23(1), 20-24.
- Suplee, P. D. (2005). "The Importance of Providing Smoking Relapse Counseling During the Postpartum Hospitalization." *J Obstet Gynecol Neonatal Nurs* 34(6): 703-712.



Tappin, D. M., M. A. Lumsden, et al. (2005). "Randomised controlled trial of home based motivational interviewing by midwives to help pregnant smokers quit or cut down." *BMJ* 331(7513): 373-377.

Taylor, S. J. C., B. Candy, et al. (2005). "Effectiveness of innovations in nurse led chronic disease management for patients with chronic obstructive pulmonary disease: systematic review of evidence." *BMJ* 331(7515): 485-.

Trossman, S. (2005). "No Smoking, Please: Tobacco-Free Nurses gives RNs the tools to help patients, themselves stop using tobacco products." *AJN* Volume 105(8), August 2005: 75-77.

Wiggers, L. C., Oort, F. J., Dijkstra, A., de Haes, J. C., Legemate, D. A., & Smets, E. M. (2005). "Cognitive changes in cardiovascular patients following a tailored behavioral smoking cessation intervention". *Prev Med*, 40(6), 812-821.

Wilkes, S., A. Evans, et al. (2005). "Pragmatic, observational study of bupropion treatment for smoking cessation in general practice." *Postgrad Med J* 81(961): 719-722.

Wolfenden, L., J. Wiggers, et al. (2005). "Increasing smoking cessation care in a preoperative clinic: a randomized controlled trial." *Preventive Medicine* 41(1): 284-290.

Wynd, C. A. (2005). Guided health imagery for smoking cessation and long-term abstinence. *J Nurs Scholarsh*, 37(3), 245-250.

## **2004**

Albrecht, S. A. (2004). "Achieving 'success'. Nursing care for pregnant women who smoke." *AWHONN Lifelines*, 8(3), 190-191.

Albrecht, S., Maloni, J., Thomas, k., Jones, R., Halleran, J., Osborne, J. (2004). "Smoking cessation counseling for pregnant women who smoke: scientific basis for practice for AWHONN's SUCCESS project". *J Obstet Gynecol Neonatal Nurs*, 33(3): 298-305.

Altman, E. (2004). "Update on COPD. Today's strategies improve quality of life." *Adv Nurse Pract.* Mar(12(3)): 49-54

Arslanian-Engoren, C. (2004). "Do emergency nurses' triage decisions predict differences in admission or discharge diagnoses for acute coronary syndromes?" *J Cardiovasc Nurs*, 19(4), 280-286.

Attebring, M. F., Hartford, M., Hjalmarson, A., Caidahl, K., Karlsson, T., & Herlitz, J. (2004). "Smoking habits and predictors of continued smoking in patients with acute coronary syndromes." *J Adv Nurs*, 46(6), 614-623.

Andrews, J. O., Heath, J., & Graham-Garcia, J. (2004). "Management of tobacco dependence in older adults: using evidence-based strategies." *J Gerontol Nurs*, 30(12), 13-24.

Bialous, S. A., & Sarna, L. (2004). "Sparing a few minutes for tobacco cessation: if only half of all nurses helped one patient per month quit smoking, more than 12 million smokers would overcome their addictions every year." *Am J Nurs*, 104(12), 54-60.

Bottorff, J. L., Johnson, J. L., Moffat, B., Fofonoff, D., Budz, B., & Groening, M. (2004). "Synchronizing clinician engagement and client motivation in telephone counseling." *Qual Health Res*, 14(4), 462-477.

Braun, B. L., Fowles, J. B., Solberg, L. I., Kind, E. A., Lando, H., & Pine, D. (2004). "Smoking-related attitudes and clinical practices of medical personnel in Minnesota." *Am J Prev Med*, 27(4), 316-322.

Brown, D. W. (2004). "Nurse-led intervention increases smoking cessation among people with coronary heart disease." *Evidence-based Healthcare*, 8(3): 128-130.

Brown, D. W., Croft, J. B., Schenck, A. P., Malarcher, A. M., Giles, W. H., & Simpson, R. J., Jr. (2004). "Inpatient smoking-cessation counseling and all-cause mortality among the elderly." *Am J Prev Med*, 26(2), 112-118.

Buchanan, L., El-Banna, M., White, A., Moses, S., Siedlik, C., Wood, M. (2004). "An exploratory study of multi-component treatment intervention for tobacco dependency." *J Nur Scholarship*, (4), 324-330.

Cagle, B. (2004). "Kicking butt. A review of smoking cessation strategies." *Adv Nurse Pract*. Mar;12(3): 61-4.

Cahall, E. J. (2004). "Assisting with tobacco cessation." *J Vasc Nurs*, 22(4), 117-123; quiz 124-115.

Calabretta, N. and S. K. Cavanaugh (2004). "Education for inpatients: working with nurses through the clinical information system." *Med Ref Serv Q* 23(2): 73-9.

Challis, S. and S. Surgenor (2004). "Helping patients with Crohn's disease to stop smoking." *Prof Nurse* 19(7): 386-9.

Chalmers, K., Gupton, A., Katz, A., Hack, T., Hildes-Ripstein, E., Brown, J., McMillan, D., Labossiere, D., Mackay, M., Pickerl, C., Savard-Preston, Y., Vincent, J. A., Morris, H. M., & Cann, B. (2004). "The description and evaluation of a longitudinal pilot study of a smoking relapse/reduction intervention for perinatal women." *J Adv Nurs*, 45(2), 162-171.

Coleman, T. (2004). Cessation interventions in routine health care. *BMJ*, 328(7440), 631-633.

DeJong, S. R. and R. H. Veltman (2004). "The effectiveness of a CNS-led community-based COPD screening and intervention program." *Clin Nurse Spec* 18(2): 72-9.

DiNapoli, P. P. (2004). "The lived experiences of adolescent girls' relationship with tobacco." *Issues Compr Pediatr Nurs* 27(1): 19-26.

Fonteyn, M. E. (2004). A nurse led smoking cessation intervention increased cessation rates after hospital admission for coronary heart disease. *Evid Based Nurs*, 7(2), 46-.

Froelicher, E., Miller, N.H., Christopherson, D.J., Martin, K., Parker, K.M., Amonetti, M. Lin, Z., Sohn, M., Benowitz, N., Taylor, C.B., Bacchetti, P. (2004). "High rates of sustained smoking cessation in women hospitalized with cardiovascular disease: the Women's Initiative for Nonsmoking (WINS)." *Circulation* 109(5): 587-93.

Giarelli, E., Ledbetter, N., Mahon, S, McElwain, D. (2004). "Online exclusive: "not lighting up": a case study of a woman who quit smoking." *Oncol Nurs Forum*, 31(3):E54-63.

Good, M., Frazier, L., Wetta-Hall, R., Ablah, E., Molgaard, C., (2004). Kansas Office-Based Nurses' Evaluation of Patient Tobacco Cessation Activities. *J Community Health Nurs*. Jun;21(2):77-85

Goodyear-Smith, F., Arroll, B., Sullivan, S., Elley, R., Docherty, B., Janes, R. (2004). "Lifestyle screening: development of an acceptable multi-item general practice tool". *N Z Med J*, 117(1205):U1146.

Gorin, S. S., & Heck, J. E. (2004). "Meta-Analysis of the efficacy of tobacco counseling by health care providers." *Cancer Epidemiol Biomarkers Prev*, 13(12), 2012-2022.

Hamilton, G., M. O'Connell, et al.(2004). "Adolescent smoking cessation: development of a school nurse intervention." *J Sch Nurs* 20(3): 169-74.

Hennrikus, D. J., Lando, H. A., McCarty, M. C., Klevan, D., Holtan, N., Huebsch, J. A., Jestus, S., Pentel, P. R., Pine, D., & Sullivan, S. (2004). "The TEAM project: the effectiveness of smoking cessation intervention with hospital patients." *Preventive Medicine*, 40(3), 249-258.

Heyes, T., Long, S., Mathers, N. (2004). "Preconception care: practice and beliefs of primary care workers." *Fam Pract* 21(1):22-7.

- Johnson, I., Ashley, M.J., Reynolds, D., Goettler, F., Lee-Han, H., Stratton, J., Yim, C., Murray, J. (2004). "Prevalence of smoking associated with pregnancy in three Southern Ontario Health Units." *Can J Public Health* 95(3): 209-13.
- Johnson, J. L., Ratner, P.A., Bottorff, J.L., Hall, W., Dahinten, S. (2000). "Preventing smoking relapse in postpartum women." *Nurs Res.*, Jan-Feb;49(1):44-52.
- Jonsdottir, H., Jonsdottir, R., Geirsdottir, T., Sveinsdottir, K.S., Sigurdardottir, T. (2004). "Multicomponent individualized smoking cessation intervention for patients with lung disease". *J Adv Nurs*, 48(6):594-604.
- Katz, D., Brown, R. B., Muehlenbruch, D. R., Fiore, M. C., & Baker, T. B. (2004). "Implementing guidelines for smoking cessation: Comparing the efforts of nurses and medical assistants." *Am J Prev Med* 27(5), 411-416.
- Krantz, M. J., Havranek, E. P., Mehler, P. S., Haynes, D. K., & Long, C. S. (2004). "Impact of a cardiac risk reduction program in vulnerable patients hospitalized with coronary artery disease." *Pharmacotherapy*, 24(6), 768-775.
- Lam, T. H., Abdullah, A. S., Chan, S. S., & Hedley, A. J. (2004). "Adherence to nicotine replacement therapy versus quitting smoking among Chinese smokers: a preliminary investigation." *Psychopharmacology (Berl)*.
- McLeod, D., S. Pullon, et al. (2004). "Can support and education for smoking cessation and reduction be provided effectively by midwives within primary maternity care?" *Midwifery* 20(1): 37-50.
- Mojica, W. A., M. J. Suttrop, et al. (2004). "Smoking-cessation interventions by type of provider: A meta-analysis." *Am J Prev Med*, 26(5): 391-401.
- Monninkhof, E., P. v. d. Valk, et al. (2004). "The effect of a minimal contact smoking cessation programme in out-patients with chronic obstructive pulmonary disease: a pre-post-test study." *Patient Educ Couns* 52(3): 231-236.
- Polanska, K., Hanke, W., Sobala, W., & Lowe, J. B. (2004). "Efficacy and effectiveness of the smoking cessation program for pregnant women." *Int J Occup Med Environ Health*, 17(3), 369-377.
- Powe, B.D., Finnie, R. (2004). "Knowledge of oral cancer risk factors among African Americans: do nurses have a role?". *Oncol Nurs Forum* 31(4):785-91.
- Pullon, S., Webster, M, McLeod, D, Benn C, Morgan, S. (2004). "Smoking cessation and nicotine replacement therapy in current primary maternity care." *Aust Fam Physician* 33(1-2):94-6.
- Ratner, P., Johnson, J., Richardson, C., Bottorff, J., Moffat, B., Mackay, M., Fofonoff, D., Kingsbury, K., Miller, C., Budz, B. (2004). Efficacy of a smoking-cessation intervention for elective-surgical patients. *Res Nurs Health*. Jun;27(3):148-61
- Rew, L., Johnson, R.J., Jenkins, S.K., Torres, R. (2004). "Developing holistic nursing interventions to improve adolescent health". *J Holistic Nurs*, 22(4), 303-319
- Rice, V. H., & Stead, L. F. (2004). Nursing interventions for smoking cessation. (Cochrane Review). In: The Cochrane Library, Issue 1. Chichester, UK: John Wiley and Sons
- Swallow, A. D., & Dykes, P. C. (2004). "Tobacco cessation at Greenwich Hospital: one hospital integrates a cessation program into its daily practice." *Am J Nurs*, 104(12), 61-62.
- West, R., McNeill, A., & Raw, M. (2004). "Smokeless tobacco cessation guidelines for health professionals in England." *Br Dent J*, 196(10), 611-618.

- Aveyard, P., Griffin, C., Lawrence, T., & Cheng, K. K. (2003). A controlled trial of an expert system and self-help manual intervention based on the stages of change versus standard self-help materials in smoking cessation. *Addiction*, 98(3), 345-345.
- Bakker, M. J., P. D. Mullen, et al. (2003). "Feasibility of implementation of a Dutch smoking cessation and relapse prevention protocol for pregnant women." *Patient Educ Couns* 49(1): 35-43.
- Bengtson, A., Drevenhorn, E. (2003). "The nurse's role and skills in hypertension care: a review." *Clin Nurse Spec* 2003 Sep;17(5):260-8.
- Browning, K., & ME., W. (2003). Smoking cessation and cancer. *Semin Oncol Nurs*. 2003 Nov, 19(4):268-75.
- Bryan, J. (2003). "Contemporary thinking in stroke prevention and management." *Nurs Times* 6;99(39):20-1.
- Buchanan, L. (2003). "Smoking, quitting, and relapse in surgical patients: a simple, clinic-based assessment and intervention that works." *Plast Surg Nurs*, 23(1): 13-9.
- Curry, S. J., Ludman, E. J., Graham, E., Stout, J., Grothaus, L., & Lozano, P. (2003). Pediatric-based smoking cessation intervention for low-income women: a randomized trial. *Arch Pediatr Adolesc Med*, 157(3), 295-302.
- Dalal, H. M., & Evans, P. H. (2003). Achieving national service framework standards for cardiac rehabilitation and secondary prevention. *Bmj*, 326(7387), 481-484.
- Houfek, J. F. and J. R. Atwood (2003). "Genetic susceptibility to lung cancer: implications for smoking cessation." *Medsurg Nurs*, 12(1): 45-9.
- Lawvere, S., Mahoney, M. C., Englert, J. J., Murphy, J. M., Hyland, A., Klein, S. B., et al. (2003). Nurse practitioners' knowledge, practice and attitudes about tobacco cessation & lung cancer screening. *J Am Acad Nurse Pract*, 15(8), 376-381.
- Maloni, J.A., Albrecht, S.A., Thomas, K.K., Halleran, J., Jones, R. (2003). "Implementing evidence-based practice: reducing risk for low birth weight through pregnancy smoking cessation." *J Obstet Gynecol Neonatal Nurs* 32(5):676-82.
- McLeod, D., Benn, C., Pullon, S., Viccars, A., White, S., Cookson, T., et al. (2003). The midwife's role in facilitating smoking behaviour change during pregnancy. *Midwifery*, 19(4), 285-297.
- McCloughen, A. (2003). "The association between schizophrenia and cigarette smoking: a review of the literature and implications for mental health nursing practice." *Int J Ment Health Nurs* 12(2):119-29.
- Minicucci, D. S., M. H. Schmitt, et al. (2003). "Actualizing Gadaw's moral framework for nursing through research." *Nurs Philos*, 4(2): 92-103.
- Murchie, P., Campbell, N. C., Ritchie, L. D., Simpson, J. A., & Thain, J. (2003). Secondary prevention clinics for coronary heart disease: four year follow up of a randomised controlled trial in primary care. *BMJ*, 326(7380), 84.
- Narsavage, G., Idemoto, BK; . (2003). Smoking cessation interventions for hospitalized patients with cardio-pulmonary disorders. *Online J Issues Nurs*. 8(2):8.
- Prokhorov, A., Hudmon, KS, Stancic, N. (2003). "Adolescent smoking: epidemiology and approaches for achieving cessation." *Paediatr Drugs* 5(1): 1-10.
- Pullon, S., McLeod, D., Benn, C., Viccars, A., White, S., Cookson, T., et al. (2003). Smoking cessation in New Zealand: education and resources for use by midwives for women who smoke during pregnancy. *Health Promot Intl*, 18(4), 315-325.

Quist-Paulsen, P. and F. Gallefoss (2003). "Randomised controlled trial of smoking cessation intervention after admission for coronary heart disease." *BMJ*, 327(7426): 1254-1257.

Reilly, V., Cavanagh, M. (2003). "The clinical and economic impact of a secondary heart disease prevention clinic jointly implemented by a practice nurse and pharmacist." *Pharm World Sci*25(6):294-8.

Resnick, B. (2003). "Health promotion practices of older adults: testing an individualized approach." *J Clin Nurs*, 12(1): 46-55; discussion 56.

Scott, L. D. L., K.B.; Lyndaker, C.Z.; Neil-Urban, S. (2003). Smoking cessation practices of rural and urban health care providers. *Online Journal of Rural Nursing and Health Care*, 3(2). (17p

Sohn, M., Hartley, C, Froelicher, ES, Benowitz, NL. (2003). "Tobacco use and dependence." *Semin Oncol Nurs* ( Nov:); 19(4):250-60.

Steffenino, G., Galliasso, M., Gastaldi, C., Ricca, N., Mangiacotti, B. (2003). "Nurses' observational study on the practice of secondary prevention in a cardiovascular department. *Ital Heart J* 4(7):473-8.

Treat-Jacobson, D., & Walsh, M. (2003). Treating patients with peripheral arterial disease and claudication. *J Vasc Nurs*, 21(1), 5-16.

Urso, P. (2003). Match the best smoking cessation intervention to your patient. *Nurse Pract*, Suppl, 12-16, 18-19, 21; quiz 22-13.

Vestfold Heartcare Study Group. (2003). "Influence on lifestyle measures and five-year coronary risk by a comprehensive lifestyle intervention programme in patients with coronary heart disease." *Eur J Cardiovasc Prev Rehabil* 10(6):429-37.

Villareal, E. (2003). "Using Roy's adaptation model when caring for a group of young women contemplating quitting smoking." *Public Health Nurs*, 20(5), 377-384.

Vrijhoef, H.J., Diederiks, J.P., Wesseling, G.J., van Schayck, C.P., Spreeuwenberg, C. (2003). "Undiagnosed patients and patients at risk for COPD in primary health care: early detection with the support of non-physicians." *J Clin Nurs* 12(3):366-73.

Wallace-Bell, M. (2003). "Smoking cessation: the case for hospital-based interventions." *Prof Nurse*19(3): 145-8 (19 ref).

Wells, S., de Lusignan, S. (2003). "Does screening for loss of lung function help smokers give up?" *Br J Nurs* 12(12):744-50.

Wiggers, L. C., Smets, E. M., de Haes, J. C., Peters, R. J., & Legemate, D. A. (2003). Smoking cessation interventions in cardiovascular patients. *Eur J Vasc Endovasc Surg*, 26(5), 467-475.

Zrinyi, M., Horvath, T. (2003). "Impact of satisfaction, nurse-patient interactions and perceived benefits on health behaviors following a cardiac event." *Eur J Cardiovasc Nurs* 2(2):159-66.

## 2002

Bolman, C., de V. H., & van Breukelen, G. (2002). Evaluation of a nurse-managed minimal-contact smoking cessation intervention for cardiac inpatients. *Health Educ Res*, 17(1), 99-116.

Bolman, C., de Vries, H., & van Breukelen, G. (2002). A minimal-contact intervention for cardiac inpatients: long-term effects on smoking cessation. *Prev Med*, 35(2), 181-192

- Bolman, C., Vries, H. d., & Mesters, I. (2002). Factors determining cardiac nurses' intentions to continue using a smoking cessation protocol. *Heart Lung, 31*(1), 15-24.
- Borrelli, B., McQuaid, E. L., Becker, B., Hammond, K., Papandonatos, G., Fritz, G., & Abrams, D. (2002). "Motivating parents of kids with asthma to quit smoking: the PAQS project." *Health Educ Res, 17*(5), 659-669.
- Buchanan, L. (2002). Implementing a smoking cessation program for pregnant women based on current clinical practice guidelines. *J Am Acad Nurse Pract, 14*(6), 243-250.
- Chan, S. (2002). Nurses' initiatives in smoking cessation in Hong Kong. *Prog Cardiovasc Nurs, 17*(1), 47-48, 52.
- Clare, S. A., & Sandys, M. P. (2002). A nurse-led approach to secondary prevention of CHD in primary care. *Prof Nurse, 18*(1), 38-41.
- Froelicher, E.S. & Kozuki, Y. (2002). "Theoretical applications of smoking cessation interventions to individuals with medical conditions: women's initiative for nonsmoking (WINS) – Part III. *Intl J Nurs Stud, 39*, 1-15
- Gariti, P., Alterman, A. I., Ehrman, R., Mulvaney, F. D., & O'Brien, C. P. (2002). Detecting smoking following smoking cessation treatment. *Drug Alcohol Depend, 65*(2), 191-196
- Gomm, M., P. Lincoln, et al. (2002). "Helping hospitalised clients quit smoking: a study of rural nursing practice and barriers." *Aust J Rural Health, 10*(1): 26-32.
- Hajek, P., Taylor, T.Z., Mills, P. (2002). "Brief intervention during hospital admission to help patients to give up smoking after myocardial infarction and bypass surgery: randomised controlled trial." *BMJ 324*(7329):87-9.
- Katz, D. A., Muehlenbruch, D. R., Brown, R. B., Fiore, M. C., & Baker, T. B. (2002). Effectiveness of a clinic-based strategy for implementing the AHRQ Smoking Cessation Guideline in primary care. *Prev Med, 35*(3), 293-301.
- Kerr, S.M., Watson, H.E., Tolson, D. (2002). "Older people who smoke: why nurses should help them to stop." *Br J Nurs 11*(15):1012-4, 1016-7, 1020.
- Koniak-Griffin, D., Anderson, N., Brecht, M., Verzemnieks, I., Lesser, J., & Kim, S. (2002). Public health nursing care for adolescent mothers: Impact on infant health and selected maternal outcomes at 1 year postbirth. *J Adolescent Health, 30*(1), 44-54.
- Mahrer-Imhof, R., Froelicher, E. S., Li, W. W., Parker, K. M., & Benowitz, N. (2002). Women's Initiative for Nonsmoking (WINS V): under-use of nicotine replacement therapy. *Heart Lung, 31*(5), 368-373.
- McPherson, C. P., Swenson, K. K., Pine, D. A., & Leimer, L. (2002). A nurse-based pilot program to reduce cardiovascular risk factors in a primary care setting. *Am J Manag Care, 8*(6), 543-555.
- Moore, L., Campbell, R., Whelan, A., Mills, N., Lupton, P., Misselbrook, E., et al. (2002). Self help smoking cessation in pregnancy: cluster randomised controlled trial. *Bmj, 325*(7377), 1383.
- Percival, J. and D. Milner (2002). "Pharmacological management of smoking cessation." *Br J Community Nurs, 7*(4): 202-5.
- Sarna, L., & Lillington, L. (2002). Tobacco: an emerging topic in nursing research. *Nurs Res, 51*, 245-253
- Scheibmeir, M. S., & O'Connell, K. A. (2002). Promoting smoking cessation in adults. *Nurs Clin N Am, 37*(2), 331-340.
- Sejr, H. S., & Osler, M. (2002). Do smoking and health education influence student nurses' knowledge, attitudes, and professional behavior? *Prev Med, 34*(2), 260-265.

Smith, P. M., Reilly, K. R., Houston Miller, N., DeBusk, R. F., & Taylor, C. B. (2002). Application of a nurse-managed inpatient smoking cessation program. *Nicotine Tob Res*, 4(2), 211-222.

Spencer, L., F. Pagell, et al. (2002). "Applying the transtheoretical model to tobacco cessation and prevention: a review of literature." *Am J Health Promot*, 17(1): 7-71.

Zack, E. (2002). "Smoking withdrawal and prolonged hospitalization." *Clin J Oncol Nurs* 6(1):7-11.

## 2001

Alterman, A. I., P. Gariti, et al. (2001). "Short- and long-term smoking cessation for three levels of intensity of behavioral treatment." *Psychol Addict Behav* 15(3): 261-4.

Arborelius, E., & Bremberg, S. (2001). Child health-centre-based promotion of a tobacco-free environment--a Swedish case study. *Health Promot Intl*, 16(3), 245-254.

Bell, R. M., & Tinggen, M. S. (2001). The impact of tobacco use in women: exploring smoking cessation strategies. *Clin J Oncol Nurs*, 5(3), 101-104.

Borrelli, B., Hecht, J., Papandonatos, G., Emmons, K., Tatevosian, L., & Abrams, D. (2001). Smoking-cessation counseling in the home - Attitudes, beliefs, and behaviors of home healthcare nurses. *Am J Prev Med*, 21(4), 272-277.

Cataldo, J. K. (2001). The role of advanced practice psychiatric nurses in treating tobacco use and dependence. *Arch Psychiatr Nurs*, 15(3), 107-119.

Chalmers, K., Bramadat, I., Cantin, B., Murnaghan, D., Shuttleworth, E., Scott-Findlay, S., et al. (2001). A smoking reduction and cessation program with registered nurses: findings and implications for community health nursing. *J Community Health Nurs*, 18(2), 115-134.

Chan, S. (2001). Nurses as leader in Tobacco Control and Smoking Cessation (pp. p. 8): Hospital Authority Nursing Section Newsletter.

Coleman, T., Wynn, A. T., Stevenson, K., & Cheater, F. (2001). "Qualitative study of pilot payment aimed at increasing general practitioners' antismoking advice to smokers." *BMJ*, 323(7310), 432-435.

Cooke, M., R. P. Mattick, et al. (2001). "Differential uptake of a smoking cessation programme disseminated to doctors and midwives in antenatal clinics." *Addiction* 96(3): 495-505.

Faucher, M.A., Carter, S. (2001). "Why girls smoke: a proposed community-based prevention program." *J Obstet Gynecol Neonatal Nurs* 30(5):463-71.

Feeney, G. F. X., A. McPherson, et al. (2001). "Randomized controlled trial of two cigarette quit programmes in coronary care patients after acute myocardial infarction." *Internal Medicine Journal* 31(8): 470-475.

Galvin, K., Webb, C., & Hillier, V. (2001). Assessing the impact of a nurse-led health education intervention for people with peripheral vascular disease who smoke: the use of physiological markers, nicotine dependence and withdrawal. *Int J Nurs Stud*, 38(1), 91-105.

Hajek, P., West, R., Lee, A., Foulds, J., Owen, L., Eiser, J. R., et al. (2001). Randomized controlled trial of a midwife-delivered brief smoking cessation intervention in pregnancy. *Addiction*, 96(3), 485-494.

Jonsdottir, D., & Jonsdottir, H. (2001). Does physical exercise in addition to a multicomponent smoking cessation program increase abstinence rate and suppress weight gain? An intervention study. *Scand J Caring Sci*, 15(4), 275-282.

McCarty, M. C., Zander, K. M., Hennrikus, D. J., & Lando, H. A. (2001). Barriers among nurses to providing smoking cessation advice to hospitalized smokers. *Am J Health Promot*, 16(2), 85-87, ii.

McEwen, A., & West, R. (2001). Smoking cessation activities by general practitioners and practice nurses. *Tob Control*, 10(1), 27-32.

McHugh, F., Lindsay, G. M., Hanlon, P., Hutton, I., Brown, M. R., Morrison, C., et al. (2001). Nurse led shared care for patients on the waiting list for coronary artery bypass surgery: a randomised controlled trial. *Heart*, 86(3), 317-323.

McNeill, N. G. (2001). Middle-school smokers: reading the smoke signal. *J Pediatr Health Care*, 15(3), 144-146.

Pelkonen, M., & Kankkunen, P. (2001). Nurses' competence in advising and supporting clients to cease smoking: a survey among Finnish nurses. *J Clin Nurs*, 10(4), 437-441.

Rice, V. H., & Stead, L. F. (2001). Nursing interventions for smoking cessation. *Cochrane Database Syst Rev*(3), CD001188.

Roberts, J. and K. McKeown (2001). "Clinical governance for nurses: smoking cessation interventions." *Nurs Stand* 15(40): 33-6.

Sarna, L., Wewers ME, Brown JK, Lillington L, Brecht ML. (2001). Barriers to tobacco cessation in clinical practice: report from a national survey of oncology nurses. *Nurse Outlook*, 49(4), 166-172.

Todd, S. J., LaSala, KB, Neil-Urban, S. (2001). "An integrated approach to prenatal smoking cessation interventions." *MCN Am J Matern Child Nurs.*, Jul-Aug;26(4):185-90; quiz 191.

## 2000

Adams, J., Krouse, H. J., & Sparacino, L. (2000). Smokeless tobacco and smoking cessation: a program evaluation. *ORL Head Neck Nurs*, 18(3), 12-16.

Block, D.E., Hutton, K.H., Johnson, K.M. (2000). "Differences in tobacco assessment and intervention practices: a regional snapshot." *Prev Med* 30(4):282-7.

Bottoff, J. L., Johnson, L. G., Irwin, P. A., Ratner, P. (2000). "Narratives of smoking relapse: The stories of postpartum women." *Research in Nursing & Health* 23(2): 126-134.

Browning, K. K., Ahijevych, K. L., Ross, P., Jr., & Wewers, M. E. (2000). Implementing the Agency for Health Care Policy and Research's Smoking Cessation Guideline in a lung cancer surgery clinic. *Oncol Nurs Forum*, 27(8), 1248-1254.

Canga, N., J. De Irala, et al. (2000). "Intervention study for smoking cessation in diabetic patients: a randomized controlled trial in both clinical and primary care settings." *Diabetes Care* 23(10): 1455-1460.

Cooke, M., Mattick, R. P., & Campbell, E. (2000). A description of the adoption of the 'Fresh start' smoking cessation program by antenatal clinic managers. *Aust J Adv Nurs*, 18(1), 13-21.

Cote, M. C. (2000). "Vascular nurse as a smoking cessation specialist." *J Vasc Nurs*, 18(2), 47-53.

Fritz, D. J. (2000). Adolescent smoking cessation: how effective have we been? *J Pediatr Nurs*, 15(5), 299-306.

Frost-Rude, J. A., Nunnelee, J. D., & Spaner, S. (2000). "Buerger's disease." *Journal of Vascular Nursing*, 18(4), 128-132.



Galvin, K., Webb, C., Hiller, V. (2000). The outcome of a nurse-led health education programme for patients with peripheral vascular disease who smoke. Assessment using attitudinal variables. *Clinical Effectiveness in Nursing*, 4(4) 54-66.

Gould, D. J., C. Pearce, et al. (2000). "The role of the practice nurse in smoking cessation." *Clinical Effectiveness in Nurs*, 4(4): 152-160. [See also Gould, D. J., C. Pearce, et al. (2001). "Erratum: The role of the practice nurse in smoking cessation *Clinical Effectiveness in Nursing* (2000) 4, 152-162." *Clinical Effectiveness Nurs*, 5(3): 139-140.]

Harris, L. L. (2000). Spotlight on research. A model nurse practitioner-managed smoking cessation clinic. *ORL Head Neck Nurs*, 18(3), 17-18.

Johnson, J., Ratner, P., Bottorff, J., Hall, W., & Dahinten, S. (2000). Preventing smoking relapse in postpartum women. *Nurs Res*, 49, 44-52.

Legge, A. (2000). "How nurses can promote smoking cessation." *Community Nurse* 6(2): 11-2.

Lenaghan, N. A. (2000). The nurse's role in smoking cessation. *Medsurg Nurs*, 9(6), 298-301, 312.

Martin, K., Froelicher, E. S., & Miller, N. H. (2000). Women's initiative for nonsmoking (WINS) II: the intervention. *Heart Lung*, 29(6), 438-445.

Montagna, R. A., & Hupcey, J. E. (2000). Increasing smoking cessation counseling by advanced practice nurses. *Clin Excell Nurse Pract*, 4(4), 224-230.

Pelkonen, M., & Kankkunen, P. (2000). Work stress, smoking habits and competence in supporting clients to cease smoking--a survey among Finnish nurses. *Public Health*, 114(6), 464-467.

Percival, J. (2000). Smoking cessation: the role of the community nurse. *Primary Health Care*, 10(3), 43-50.

Peterson, W. (2000). "A nurse managed smoking cessation and relapse prevention programme did not reduce smoking rates at 12 months beyond rates achieved by usual care in women with cardiovascular disease." *Evid Based Nurs* 7(3):83.

Pohl, J. M. (2000). Smoking cessation and low-income women: theory, research, and interventions. *Nurse Pract Forum*, 11(2), 101-108.

Pullen, L.M., Modrcin-McCarthy, M.A., Graf, E.V. (2000). "Adolescent depression: important facts that matter." *J Child Adolesc Psychiatr Nurs* 13(2):69-75.

Ratner, P. A., Johnson, J. L., Bottorff, J. L., Dahinten, S., & Hall, W. (2000). Twelve-month follow-up of a smoking relapse prevention intervention for postpartum women. *Addict Behav*, 25(1), 81-92.

Reeve, K., Calabro, K., & Adams-McNeill, J. (2000). Tobacco cessation intervention in a nurse practitioner managed clinic. *J Am Acad Nurse Pract*, 12(5), 163-169.

Sarna, L. P., Brown, J. K., Lillington, L., Rose, M., Wewers, M. E., & Brecht, M. L. (2000). Tobacco interventions by oncology nurses in clinical practice: report from a national survey. *Cancer*, 89(4), 881-889.

Tappin, D. M., Lumsden, M. A., McIntyre, D., McKay, C., Gilmour, W. H., Webber, R., et al. (2000). A pilot study to establish a randomized trial methodology to test the efficacy of a behavioural intervention. *Health Educ Res*, 15(4), 491-502.

Tonnesen, P., & Mikkelsen, K. L. (2000). Smoking cessation with four nicotine replacement regimes in a lung clinic. *Eur Respir J*, 16(4), 717-722.

Town, G.I., Fraser, P., Graham, S., McSweeney, W., Brockway, K., Kirk, R. (2000). "Establishment of a smoking cessation programme in primary and secondary care in Canterbury." *N Z Med J* 113(1107):117-9.

Velasquez, M., Hecht, J., Quinn, V., Emmons, K., DiClemente, C., & Dolan-Mullen, P. (2000). Application of motivational interviewing to prenatal smoking cessation: training and implementation issues. *Tob Control*, 9(Suppl 3), III36-40.

Walsh, R.A., Redman, S., Byrne, J.M., Melmeth, A., Brinsmead, M.W. (2000). "Process measures in an antenatal smoking cessation trial: another part of the picture." *Health Educ Res* 15(4):469-83.

West, R., McNeil, A., Raw, M. (2000). "Smoking cessation guidelines for health professionals: an update." *Thorax*, 55, 987-999.

Wewers, M. E., Neidig, J. L., & Kihm, K. E. (2000). The feasibility of a nurse-managed, peer-led tobacco cessation intervention among HIV-positive smokers. *J Assoc Nurses AIDS Care*, 11(6), 37-44.

Zapka, J. G., Pbert, L., Stoddard, A. M., Ockene, J. K., Goins, K. V., & Bonollo, D. (2000). Smoking cessation counseling with pregnant and postpartum women: a survey of community health center providers. *Am J Public Health*, 90(1), 78-84.

## 1999

Albrecht, S., Cassidy, B., Salamie, D., & Reynolds, M. D. (1999). A smoking cessation intervention for pregnant adolescents: implications for nurse practitioners. *J Am Acad Nurse Pract*, 11(4), 155-159.

Andrews, J., Tinggen, M., & Harper, R. (1999). A model nurse practitioner-managed smoking cessation clinic. *Oncol Nurs Forum*, 26(10), 1603-1610.

Block, D., Block, L., Hutton, S., & Johnson, K. (1999). Tobacco counseling practices of dentists compared to other health care providers in a midwestern region. *J Dent Educ*, 63(11), 821-827.

Ershoff, D. H., Quinn, V. P., Boyd, N. R., Stern, J., Gregory, M., & Wirtschatter, D. (1999). "The Kaiser Permanente prenatal smoking-cessation trial: when more isn't better, what is enough?" *Am J Prev Med*, 17(3), 161-168.

Farnam, C.R. (1999). "Zyban: a new aid to smoking cessation treatment--will it work for psychiatric patients?" *J Psychosoc Nurs Ment Health Serv* 37(2):36-42

Johnson, J., Budz, B., Mackay, M., & Miller, C. (1999). Evaluation of a nurse-delivered smoking cessation intervention for hospitalized patients with cardiac disease. *Heart Lung*, 28(1), 55-56.

Jolly, K., Bradley, F., Sharp, S., Smith, H., Thompson, S., Kinmonth, A. L., et al. (1999). "Randomised controlled trial of follow up care in general practice of patients with myocardial infarction and angina: final results of the Southampton heart integrated care project (SHIP). The SHIP Collaborative Group." *Bmj*, 318(7185), 706-711

Klerman, L., & Rooks, J. (1999). A simple, effective method that midwives can use to help pregnant women stop smoking. *J Nurse Midwifery*, 44(2), 118-123.

Korhonen, T., Uutela, A., Korhonen, H. J., Urjanheimo, E. L., & Puska, P. (1999). "Smoking cessation advice from health professionals: process evaluation of a community-based program." *Patient Educ Couns*, 36(1), 13-21.

Lancaster, T., Dobbie, W., Vos, K., Yudkin, P., Murphy, M., & Fowler, G. (1999). "Randomized trial of nurse-assisted strategies for smoking cessation in primary care." *Br J Gen Pract*, 49(440), 191-194.

Lindell, K., & Reinke, L. (1999). Nursing strategies for smoking cessation. *Heart Lung*, 28(4), 295-302.

McDaniel, A. M., Kristeller, J. L., & Hudson, D. M. (1999). "Chart reminders increase referrals for inpatient smoking cessation intervention." *Nicotine Tob Res*, 1(2), 175-180.

Miller, C. (1999). Stages of change theory and the nicotine-dependent client: direction for decision making in nursing practice. *Clin Nurse Spec*, 13(1), 18-22.

Owen, L. (1999). Smoking and pregnancy. The role of midwives. *Pract Midwife*, 2(4), 145-115.

Rice, V. (1999). Nursing intervention and smoking cessation: A meta-analysis. *Heart Lung*, 28(6), 438-454.

Reid, R. D., Pipe, A., & Dafoe, W. A. (1999). "Is telephone counselling a useful addition to physician advice and nicotine replacement therapy in helping patients to stop smoking? A randomized controlled trial." *Cmaj*, 160(11), 1577-1581.

Ruppert, R. (1999). The last smoke. Your patients can quit smoking-for life. *Am J Nurs*, 99(11), 26-32.

Ward, S. (1999). "Addressing nicotine addiction in women. Role of the midwife." *J Nurse Midwifery*44(1):3-18.

## 1998

Gebauer, C., Kwo, C., Haynes, E., & Wewers, M. (1998). A nurse-managed smoking cessation intervention during pregnancy. *J Obstet Gynecol Neonatal Nurs*, 27(1), 47-53.

Griebel, B., Wewers, M., & Baker, C. (1998). The effectiveness of a nurse-managed minimal smoking-cessation intervention among hospitalized patients with cancer. *Oncol Nurs Forum*, 25(5), 897-902.

Hershberger, P. (1998). Smoking and pregnant teens. What nurses can do to help. *AWHONN Lifelines*, 2(4), 26-31.

Lamb, J., Albrecht, S., & Sereika, S. (1998). Consideration of factors prior to implementing a smoking cessation program. *J Nurs Sch*, 14(1), 14-19.

Nelick, K. (1998). Adolescent smokers: an opportunity for nurses to help snuff out the smoking epidemic. *Kans Nurse*, 73(6), 1-2.

O'Connell, K., Gerkovich, M., Cook, M., Shiffman, S., Hickcox, M., & Kakolewski, K. (1998). Coping in real time: using Ecological Momentary Assessment techniques to assess coping with the urge to smoke. *Res Nurs Health*, 21(6), 487-497.

Sheahan, S., & Wilson, S. (1998). Smoking cessation tips: family system and addiction perspectives. *J Am Acad Nurse Pract*, 10(9), 393-401.

Wakefield, M., & Jones, W. (1998). Effects of a smoking cessation program for pregnant women and their partners attending a public hospital antenatal clinic. *Aust NZ J Public Health*, 22(3 Suppl), 313-320.

West, R., Edwards, M., & Hajek, P. (1998). A randomized controlled trial of a "buddy" system to improve success at giving up smoking in general practice. *Addiction*, 93(7), 1007-1011.

Wewers, M., Ahijevych, K., & Sarna, L. (1998). Smoking cessation interventions in nursing practice. *Nurs Clin N Am*, 33(1), 61-74.

## 1997

Condon, C. (1997). Long term effects of smoking cessation program for cardiac patients. *Kans Nurse*, 72(1), 1-2.

Gorman, M. (1997). Helping patients to quit smoking. *Am J Nurs*, 97(3), 64-65.

Haddock, J., & Burrows, C. (1997). The role of the nurse in health promotion: an evaluation of a smoking cessation programme in surgical pre-admission clinics. *J Adv Nurs*, 26(6), 1098-1110.

Lillington, L. (1997). AHCPR [now Agency for Healthcare Research and Quality (AHRQ)] smoking cessation guideline goals and impact: examples from the nursing field. *Tob Control*, 6(Suppl 1), S39-43.

Mainarich, K. (1997). Tips to help smokers. *Nurse Pract*, 22(2), 162.

Miller, N. H., Smith, P. M., DeBusk, R. F., Sobel, D. S., & Taylor, C. B. (1997). Smoking cessation in hospitalized patients. Results of a randomized trial. *Arch Intern Med*, 157(4), 409-415.

Pine, D., Sullivan, S., Sauser, M., & David, C. (1997). Effects of a systematic approach to tobacco cessation in a community-based practice. *Arch Fam Med*, 6(4), 363-367.

Sheahan, S., & Wilson, S. (1997). Smoking cessation for pregnant women and their partners: a pilot study. *J Am Acad Nurse Pract*, 9(7), 323-326.

Sidorov, J., Christianson, M., Girolami, S., & Wydra, C. (1997). A successful tobacco cessation program led by primary care nurses in a managed care setting. *Am J Manag Care*, 3(2), 207-214.

Wewers, M., Jenkins, L., & Mignery, T. (1997). A nurse-managed smoking cessation intervention during diagnostic testing for lung cancer. *Oncol Nurs Forum*, 24(8), 1419-1422.

Whitlock, E. P., Vogt, T. M., Hollis, J. F., & Lichtenstein, E. (1997). Does gender affect response to a brief clinic-based smoking intervention? *Am J Prev Med*, 13(3), 159-166

## 1996

Cooke, M., Mattick, R., & Barclay, L. (1996). Predictors of brief smoking intervention in a midwifery setting. *Addiction*, 91(11), 1715-1725.

Prowant, B. (1996). Smoking cessation clinical practice guideline: implications for nephrology nurses. *ANNA J*, 23(3), 272, 325.

Risser, N.L. (1996). "Prevention of lung cancer: the key is to stop smoking." *Semin Oncol Nurs* 12(4):260-9.

Taylor, C. B., Miller, N.H., Herman, S., Smith, P.M., Sobel, D., Fisher, L., DeBusk, R.F. (1996). "A nurse-managed smoking cessation program for hospitalized smokers." *Am J Public Health* 86(11): 1557-60.

Tonnesen, P., Mikkelsen, K., Markholst, C., Ibsen, A., Bendixen, M., Pedersen, L., et al. (1996). Nurse-conducted smoking cessation with minimal intervention in a lung clinic: a randomized controlled study. *Eur Respir J*, 9(11), 2351-2355.

Wewers, M., & Ahijevych, K. (1996). Smoking cessation interventions in chronic illness. *Annu Rev Nurs Res*, 14, 75-93.

Pre-1996 studies (prior to the release of the first edition of the Smoking cessation Guideline)

## 1995

Caplan, D. (1995). Smoking: issues and interventions for occupational health nurses. *AAOHN J*, 43(12), 633-643.

Kviz, F. J., Clark, M. A., Prohaska, T. R., Slezak, J. A., Crittenden, K. S., Freels, S., & Campbell, R. T. (1995). "Attitudes and practices for smoking cessation counseling by provider type and patient age." *Prev Med*, 24(2), 201-212.

Mundt, M. H., L. K. Glass, et al. (1995). "A professional challenge: nurses and smoking." *J Community Health Nurs* 12(3): 139-46.

Sarna, L., & Brown, J. (1995). Tobacco prevention and cessation in oncology nursing practice, education, and research. *Oncol Nurs Forum*, 22, 256-277.

Stillman, F. (1995). Smoking cessation for the hospitalized cardiac patient: rationale for and report of a model program. *J Cardiovasc Nurs*, 9(2), 25-36.

#### **1994**

Hecht, J., Emmon, K., Brown, R., Everett, K., Farrel, N., Hitchcock, P., et al. (1994) Smoking interventions for patients with cancer: guidelines for nursing practice. *Oncol Nurs Forum*, (21)1657-66.

Stanislaw, A., Wewers, M. (1994). A smoking cessation intervention with hospitalized surgical cancer patients: effects of a nurse-managed intervention. *Cancer Nurs* (17)82-6.

#### **1993**

Hollis, J., Lichtenstein, E., Vogt, T., Stevens, V., & Biglan, A. (1993). Nurse-assisted counseling for smokers in primary care. *Ann Intern Med*, 118(7), 521-525.

#### **1992**

Blair, J. (1992). Nursing intervention helps residents quit smoking. *Provider*, 18(1), 37.

McGowan, E., MacAuley, D., & Anderson, U. (1992). A nurse-led 'stop smoking' initiative. *Nurs Stand*, 7(10), 26-29.

#### **1991**

Adriaanse, H. and J. van Reek (1991). "Tobacco prevention in hospitals needs prolonged and sustained effort." *Br J Addict* 86(6): 703-4.

Gulick, E., Hayes, J., & Kennelly, L. (1991). Smoking among women: a life cycle perspective on which to base prevention/cessation interventions. *Oncol Nurs Forum*, 18(1), 91-102.

Rose, M. A. (1991). Intervention strategies for smoking cessation. The role of oncology nursing *Cancer Nurs*, (14) 225-31.

#### **1987**

Goldstein, A. O., Hellier, A., Fitzgerald, S., Stegall, T.S., Fischer, P.M. (1987). "Hospital nurse counseling of patients who smoke." *Am J Public Health* 77(10): 1333-4.

#### **1986**

Aucoin, R. A. (1986). Smoking behavior and the efficacy of nurses as role models. *Health Values*, 10(4), 25-29.

Dalton, J. A., & Swenson, I. (1986). Nurses and smoking: role modeling and counseling behaviors. *Oncol Nurs Forum*, 13(2), 45-48.

Sanders, D. J., Stone, V., Fowler, G., Marzillier, J. (1986). "Practice nurses and antismoking education." *Br Med J (Clin Res Ed)* 292(6517): 381-3.