

Section VI. Nursing Activities: Tobacco Prevention and Control (1983 To 2010)

2010

Shelley, D., Cantrell, J. (2010). The effect of linking community health centers to a state-level smoker's quitline on rates of cessation assistance. *BMC Health Services Res.* 10:25. doi:10.1186/1472-6963-10-25. PMID: [20100348](#)

2009

Anderson, B. (2009). Understanding the role of smoking in the aetiology of bladder cancer. *Br J Community Nurs.*, Sep;14(9):385-92. PMID: [19749657](#)

Bernat, D., Lazovich, D, Forster, JL, Oakes, JM, Chen, V. (2009). Area-level variation in adolescent smoking. *Prev Chronic Dis.* 6(2)(http://www.cdc.gov/pcd/issues/2009/apr/08_0048.htm).

Bernstein, S. L., Jearld, Saba, Prasad, Deepa, Bax, Patricia, Bauer, Ursula. (2009). Rapid implementation of a smokers' quitline fax referral service in an urban area. *J Health Care Poor Underserved.* Feb;20(1):55-63.

Blood-Siegfried, J., Bowers, M.T., Lorimer, M. (2009). Is Shock a Key Element in the Pathology of Sudden Infant Death Syndrome (SIDS)? *Biological Research For Nursing*, 1, (2), 187-194 doi:10.1177/1099800408324854. PMID: [19114412](#)

Carlsson, N., Johansson, A., Hermansson, G., & Andersson-Gäre, B.. (2009). Child health nurses' roles and attitudes in reducing children's tobacco smoke exposure. *J Clin Nurs.*, Jul 20. [Epub ahead of print] PMID: 19686317. (<http://www.ncbi.nlm.nih.gov/pubmed/19686317>) doi:10.1111/J.1365-2702.2009.02847.X

Chen, P., Huang, WG, Chao, KY. (2009). Susceptibility to Initiate Smoking among Junior and Senior High School Nonsmokers in Taiwan. *Prev Med.* Apr 30. [Epub ahead of print] doi; 10.1016/j.ypmen.2008.04.009.

DiNapoli, P. (2009). Early initiation of tobacco use in adolescent girls: key sociostructural influences. *Appl Nurs Res.* May;22(2):126-32.

Jinez, L., Souza, J.R., & Pillon, S.C.. (2009). Drug use and risk factors among secondary students. *Rev Lat Am Enfermagem*, 17(2):246-52. PMID: 19551280 (<http://www.ncbi.nlm.nih.gov/pubmed/19551280>) doi:10.1590/S0104-11692009000200017 (<http://www.scielo.br/pdf/rlae/v17n2/17.pdf>)

Kennison, L. Smoking and Pregnancy: Reconciling Incompatibilities. *Holistic Nursing Practice.* January-February 2009, 23(1): 32-38.

Kim, S. S., Kim, S.-H., & Gulick, E. E. (2009). Cross-Cultural Validation of a Smoking Abstinence Self-Efficacy Scale in Korean American Men. *Issues in Mental Health Nurs*, 30(2), 122-130.

Le, C., Chongsuvatwong, V, Geater, A, Apakupakul, N. (2009). Contextual and individual demographic determinants of alcohol consumption and smoking: a comparative study in southwestern China and southern Thailand. *Southeast Asian J Trop Med Public Health.* Mar;40(2):370-9.

Lu, C.C., Lin, H. H., Chen, C. J., & Huang, C.L. (2009). Psychometric testing of the Chinese version of the Dimensions of Tobacco Dependence Scale. *J Clin Nurs*, 18(17), 2470 - 2477. PMID: 19619205. (<http://www.ncbi.nlm.nih.gov/pubmed/19619205>) doi: 10.1111/j.1365-2702.2009.02827.x

Mclvor, A., Kayser, J., Assaad, J.M., Brosky, G., Demarest, P., Desmarais, P., Hampson, C., Khara, M., Pathammavong, R., & Weinberg, R. (2009). Best practices for smoking cessation interventions in primary care. *Can Respir J.*, 6(4):129-34. PMID: 19707607 (<http://www.ncbi.nlm.nih.gov/pubmed/19707607>)

Molina, A., Fernández, D, Delgado, M, Martín ,V. (2009). Sensitivity and specificity of a self-administered questionnaire of tobacco use; including the Fagerström test. *Int J Nurs Stud.* , Jun 26. [Epub ahead of print]. PMID: 19560771. (<http://www.ncbi.nlm.nih.gov/pubmed/19560771>) doi:10.1016/j.ijnurstu.2009.05.022

Okoli, C. T. C., Richardson, C. G., Ratner, P. A., & Johnson, J. L. (2009). Non-smoking youths' "perceived" addiction to tobacco is associated with their susceptibility to future smoking. *Addictive Behaviors*, 34(12), 1010-1016. PMID: 19643546. (<http://www.ncbi.nlm.nih.gov/pubmed/19643546>) doi:10.1016/j.addbeh.2009.06.010

Percival, J. (2009). Smoking cessation 1 & 2: best practice and treatment and support options for patients. *Nurs Times.*, Sep 29-Oct 5;105(38):21-3. PMID: **19863032, 19860065**

2008

Becker, H. and Brown, A. (2008) "Disparities in Smoking Behaviors Among Those With and Without Disabilities From 2001 to 2005." *Public Health Nursing*. 25 (6): 526-535. Published Online: 21 Oct 2008

Bottorff, JL, Radsma, J, Kelly, M, Oliffe, JL. (2008). Fathers' narratives of reducing and quitting smoking. *Sociol Health Illn*. 2008 Dec 3. [Epub ahead of print].

Doolan DM, Froelicher ES. (2008) Smoking cessation interventions and older adults. *Prog Cardiovasc Nurs*. Summer;23(3):119-27.

Ebert L, van der Riet P, Fahy K. (2008). What do midwives need to understand/know about smoking in pregnancy? *Women Birth*. 2008 Dec 29. [Epub ahead of print]

Hamilton ,M, McLachlan, RS, Burneo, JG.. (2008) Can I go out for a smoke? A nursing challenge in the epilepsy monitoring unit. *Seizure*. 2008 Dec 11. [Epub ahead of print]

Heale, R., Griffin, MT. (2009). Self-efficacy with application to adolescent smoking cessation: a concept analysis. *J Adv Nurs.* , Apr; 65(4):912-8.

Huang, C., Lin, HH, Wang, HH. (2008). Evaluating screening performances of the Fagerstrom tolerance questionnaire, the Fagerstrom test for nicotine dependence and the heavy smoking index among Taiwanese male smokers. *J Clin Nurs*, Apr;17(7):884-90.

Husten CG. (2008). Tobacco use: ending the epidemic. *Medsurg Nurs*. 2008 Oct;17(5):345-54; quiz 355.

Henriqu ez ,PC, Carvalho AM. (2008). Perceptions of drugs benefits and barriers to quit by undergraduate health students. *Rev Lat Am Enfermagem*. 2008 Jul-Aug;16 Spec No:621-6.

Kulbok , P. A., Rhee, H., Botchwey, N. , Hinton, I. , Bovbjergm, V. , and Anderson, N. (2008) Factors

Influencing Adolescents' Decision Not to Smoke *Public Health Nursing* 25(6):505-515 Published Online: 21 Oct 2008

Mak, Y, Loke, A., Abu Saleh, A., and Lam, T. (2008). Household smoking practices of parents with young children, and predictors of poor household smoking practices. *Public Health*. Article in Press, Corrected Proof.

Martin, C. R., R. Allan, et al. (2008). "Mood and smoking in schizophrenia." *J Psychiatr Ment Health Nurs* 15(9): 722-7.

Mart nez-Mantilla, JA, Amaya-Naranjo, W, Campillo, HA, D az-Mart nez, LA, Campo-Arias, A. (2008) Daily cigarette smoking among Colombian high school students: gender related psychosocial factors *Rev Lat Am Enfermagem*. 2008 Sep-Oct;16(5):903-7.

Martínez, Maldonado R, Pedrão, LJ, Alonso, Castillo MM, López, García KS, Oliva, Rodríguez NN. (2008). Self-esteem, perceived self-efficacy, consumption of tobacco and alcohol in secondary students from urban and rural areas of Monterrey, Nuevo León, México *Rev Lat Am Enfermagem*. 2008 Jul-Aug;16 Spec No:614-20.

Noonan, D. K., Pamela A. (2009). New tobacco trends: Waterpipe (hookah) smoking and implications for healthcare providers. *Jof the American Academy of Nur Practitioners*, 21 (5); 258 - 260.

Northridge, M. E.; Vallone, D.; Xiao, H.; Green, M.; Weikle Blackwood, J.; Kemper, S. E.; Duke, J.; O'Connell, Kathleen A.; Schwartz, Joseph E.; Shiffman, Saul . Do resisted temptations during smoking cessation deplete or augment self-control resources? *Psychology of Addictive Behaviors*. Vol 22(4), Dec 2008, 486-495.

Park, S., Weaver, TE, Romer, D. (2009). Predictors of the transition from experimental to daily smoking among adolescents in the United States. *J Spec Pediatr Nurs.* , Apr;14(2):102-11.

Pate, C., NJ, Stewart, A, Shaw, CB. (2009). The Interplay Between Secondhand Cigarette Smoke, Genetics, and Cervical Cancer: A Review of the Literature. *Biol Res Nurs.* , Feb 26. [Epub ahead of print].

Sánchez ,Martínez JA, Ribeiro, CR. (2008). The search for equality: representations of the smoking act among adolescent women . *Rev Lat Am Enfermagem*. 2008 Jul-Aug;16 Spec No:640-5.

Sharp, L., H. Johansson, et al. (2008). "Smoking cessation among patients with head and neck cancer: cancer as a 'teachable moment'" *European Journal of Cancer Care* 17(2): 114-119.

Sohn, M., N. Benowitz, et al. (2008). "Smoking behavior in men hospitalized with cardiovascular disease in Korea: a cross-sectional descriptive study." *Heart Lung* 37(5): 366-79.

Snyder, M., J. McDevitt, et al. (2008). "Smoking cessation and serious mental illness." *Arch Psychiatr Nurs* 22(5): 297-304.

Sun, K. (2008). "Predictors of Short-Term Smoking Cessation Among Korean American Men Public Health Nursing." 25(6): 516-525 Published Online: 21 Oct 2008

Wang, H., Harrell, J, Funk, S. (2008). Factors associated with smoking cessation among male adults with coronary heart disease in Taiwan *J Nurs Res*, Mar;16(1):55-64.

Watson, K. A.; Burrus, B.; Treadwell, H. M. (2008). The importance of location for tobacco cessation: rural-urban disparities in quit success in underserved West Virginia Counties. *J Rural Health*. 24 (2)106-15

Webb MS, Seigers D, Wood EA (2008). Recruiting African American smokers into intervention research: Relationships between recruitment strategies and participant characteristics *Res Nurs Health*. 32(1):86-95

Wong CC, Tsoh JY, Tong EK, Hom FB, Cooper B, Chow EA. (2008) The Chinese Community Smoking Cessation Project: A Community Sensitive Intervention Trial *J Community Health*. 33(6):363-73.

Zanis, D. A., D. Derr, et al. (2008). "Variability of healthcare practitioner intervention among 18- to 24- year old tobacco users." *J Adolesc Health* 42(6): 634-6.

2007

Blumenthal, D. S. (2007). Barriers to the Provision of Smoking Cessation Services Reported by Clinicians in Underserved Communities. *J Am Board Fam Med*, 20(3), 272-279.

Cottrell, L., Gibson, M., Harris, C., Rai, A., Sobhan, S., Berry, T., et al. (2007). Examining Smoking and Cessation During Pregnancy Among An Appalachian Sample: A Preliminary View. *Subst Abuse Treat Prev Policy*, 2(1), 14.

Hall, S., & Marteau, T. M. (2007). Practice nurses' self-reported opportunistic smoking cessation advice in three contexts. *Nicotine & Tobacco Research*, 9(9), 941-945.

Kjaer, N. T., Ewald, T., Rasmussen, M., Juhl, H. H., Mosbech, H., & Olsen, K. R. (2007). The effectiveness of nationally implemented smoking interventions in Denmark. *Preventive Medicine, In Press, Corrected Proof*.

Kulwicki, A., Smiley, K., Devine, S. (2007). Smoking Behavior in Pregnant Arab Americans. *MCN Am J Matern Child Nurs.* , November/December;32(6):363-367.

Murnaghan, D., Sihvonen M, Leatherdale ST, Kekki P. (2007). The relationship between school-based smoking policies and prevention programs on smoking behavior among grade 12 students in Prince Edward Island: A multilevel analysis. *Preventive Medicine Article in Press, Corrected Proof*

Nides, M., Leischow, S, Sarna, L, Evans, SE. (2007). Maximizing smoking cessation in clinical practice: pharmacologic and behavioral interventions. *Prev Cardiol, Spring;10(2 Suppl 2):23-30*.

Okoli, C. T. C., Kelly, T., & Hahn, E. J. (2007). Secondhand smoke and nicotine exposure: A brief review. *Addictive Behaviors, In Press, Corrected Proof*.

Tsai, H. T., Tsai, Y. M., Yang, S. F., Wu, K. Y., Chuang, H. Y., Wu, T. N., et al. (2007). Lifetime cigarette smoke and second-hand smoke and cervical intraepithelial neoplasm-A community-based case-control study. *Gynecol Oncol*, 105(1), 181-188.

Wilhelmsson, S., & Lindberg, M. (2007). Prevention and health promotion and evidence-based fields of Nursing-A literature review. *International Journal of Nursing Practice*, 13(4), 254-265 .

Wynd, C. A. (2007). Smoking patterns, beliefs, and the practice of healthy behaviors in abstinent, relapsed, and recalcitrant smokers. *J Vasc Nurs*, 25(2), 32-38.

Yousey, Y. (2007). Family attitudes about tobacco smoke exposure of young children at home. *MCN Am J Matern Child Nurs*, 32(3), 178-183.

2006

Bartscherer, D., Reichert, VC, Folan, P, DeGaetano, C, Jacobsen, DR, Miceli, L, Kohn, and T. N, A. (2006). "Tobacco and the health care industry." *Clin Occup Environ Med*. 5(1):55-71, viii.

Birney, M. H., T. L. Hardie, et al. (2006). "Association of parental smoking behaviors and absences in school-age children: Implications for the nurse practitioner." *Journal of the American Academy of Nurse Practitioners* 18(5): 221-227.

Corelli, R. L., Hudmon, K.S. (2006). "Pharmacologic interventions for smoking cessation." *Crit Care Nurs Clin North Am*. Mar;18(1):39-51, xii.

Deckers, S. K., Farley, J., Heath, J. (2006). "Tobacco and its trendy alternatives: implications for pediatric nurses." *Crit Care Nurs Clin North Am*. Mar;18(1):95-104, xiii.

Doolan, D. M., Froelicher, E.S. (2006). "Efficacy of Smoking Cessation Intervention Among Special Populations: Review of the Literature From 2000 to 2005." *Nurs Res*. July/August;55(4 Suppl 1):S29-S37.

Graham-Garcia, J., George-Gay, B., Heater, D., Butts, A., Heath, J. (2006). "Application of the Synergy Model with the surgical care of smokers." *Crit Care Nurs Clin North Am*. Mar;18(1):29-38, xi-xii.

Green, J. S., Briggs, L. (2006). "Tobacco cessation in acute and critical care nursing practice: challenges and approaches." *Crit Care Nurs Clin North Am*. 18(1):81-93.

Hahn, E., Rayens, MK, Kirsh, KL, Passik, SD. (2006). "Brief report: Pain and readiness to quit smoking cigarettes." *Nicotine Tob Res.* Jun;8(3):473-80.

Hanson, M. J. S. (2006). "Predicting smoking behavior in college students." *The American Journal for Nurse Practitioners.* 10(6), 26-35.

Heath, J., Andrews, J. (2006). "Using Evidence-based Educational Strategies to Increase Knowledge and Skills in Tobacco Cessation." *Nurs Res July/August;55(4 Suppl 1):S44-S50.*

Huang, C.-L., H.-H. Lin, et al. (2006). "The psychometric properties of the Chinese version of the Fagerstrom Test for Nicotine Dependence." *Addictive Behaviors,* 31(12), 2324-2327..

Kemppainen, U., Tossavainen, K., Vartiainen, E., Jokela, V., Puska, P., Pantelejev, V., et al. (2006). Environmental factors as predictors of smoking among ninth-grade adolescents in pitkaranta (russian karelia) and in eastern Finland. *Res Nurs Health,* 29(6), 543-555.

Malone, R. (2006). "Nursing's Involvement in Tobacco Control: Historical Perspective and Vision for the Future." *Nurs Res July/August;55(4 Suppl 1):S51-S57.*

McMurry, T. B. (2006). "A Comparison of Pharmacological Tobacco Cessation Relapse Rates." *Journal of Community Health Nursing* 23(1): 15-28.

Miller, N. (2006). "Translating smoking cessation research findings into clinical practice: the "staying free" program." *Nurs Res.* Jul-Aug;55(4 Suppl 1):S38-43.

Okoli, C. T. C., Rayens, M. K., & Hahn, E. J. (2006). Behavioral effects of nicotine exposure from secondhand tobacco smoke among bar and restaurant workers. *Addictive Behaviors, In Press, Corrected Proof.*

Petrie, J., F. Bunn, et al. (2006). "Parenting programmes for preventing tobacco, alcohol or drugs misuse in children <18: a systematic review." *Health Educ. Res.:* cyl061.

Pirkanen, M., Pietila, A.-M., Halonen, P., & Laukkanen, E. (2006). School health nurses and substance use among adolescents - towards individual identification and early intervention. *Scandinavian Journal of Caring Sciences,* 20(4), 439-447.

Sarna, L., Bialous, SA. (2006). "Strategic directions for nursing research in tobacco dependence." *Nurs Res.* Jul-Aug;55(4 Suppl 1):S1-9.

Sarna, L., Bialous, S., Barbeau, E., McLellan, D. (2006). "Strategies to implement tobacco control policy and advocacy initiatives." *Crit Care Nurs Clin North Am.* Mar;18(1):113-22.

Seal, N. (2006). "Preventing tobacco and drug use among Thai high school students through life skills training." *Nursing and Health Sciences* 8(3): 164-168.

Suchanek Hudmon, K., Kilfoy, B.A., Prokhorov, A.V. (2006). "The epidemiology of tobacco use and dependence." *Crit Care Nurs Clin North Am.* Mar;18(1):1-11.

2005

Barta, S., Stacy, RD. (2005). "The effects of a theory-based training program on nurses' self-efficacy and behavior for smoking cessation counseling." *J Contin Educ Nurs.* May-Jun;36(3):117-23.

Freund, M., E. Campbell, et al. (2005). "Smoking care provision in smoke-free hospitals in Australia." *Preventive Medicine* 41(1): 151-158.

Reinert, B., Carver, V, Range, LM. (2005). "School nurses' opinions about the prevention of tobacco use." *J Community Health Nurs Winter*;22(4):205-11.

Ridner, S. L. (2005). "Predicting smoking status in a college-age population." *Public Health Nurs*, 22(6), 494-505.

Rimer, B. K., & Gierisch, J. M. (2005). "Public Education and Cancer Control." *Seminars in Oncology Nursing*, 21(4), 286-295.

Sheahan, S., Free, TA. (2005). "Counseling parents to quit smoking." *Pediatr Nurs Mar-Apr*;31(2):98-102, 105-9.

Suplee, P. D. (2005). "The Importance of Providing Smoking Relapse Counseling During the Postpartum Hospitalization." *J Obstet Gynecol Neonatal Nurs* 34(6): 703-712.

Valente, S. M. (2005). "Evaluation of innovative research-based fact sheets." *J Nurses Staff Dev* 21(4): 171-6.

2004

Attebring, M. F., Hartford, M., Hjalmarson, A., Caidahl, K., Karlsson, T., & Herlitz, J. (2004). "Smoking habits and predictors of continued smoking in patients with acute coronary syndromes." *J Adv Nurs*, 46(6), 614-623.

Bottorff, J. L., Johnson, J. L., Moffat, B., Grewal, J., Ratner, P. A., & Kalaw, C. (2004). Adolescent constructions of nicotine addiction. *Can J Nurs Res*, 36(1), 22-39.

Britton, J., & Lewis, S. (2004). "Trends in the uptake and delivery of smoking cessation services to smokers in Great Britain." *J Epidemiol Community Health*, 58(7), 569-570.

Christopherson, T. M., & Jordan-Marsh, M. (2004). "Culture & risk taking in adolescents' behaviors." *MCN Am J Matern Child Nurs*, 29(2), 100-105.

Dowdell, E. B., & Santucci, M. E. (2004). "Health risk behavior assessment: nutrition, weight, and tobacco use in one urban seventh-grade class." *Public Health Nurs*, 21(2), 128-136.

Eliason, K., & True, A. (2004). Combining health promotion classroom lessons with health fair activities. *J Nurs Sch*, 20(1), 50-53.

Froelicher, E., Sohn, M., Max, W., Bacchetti, P. (2004). "Women's Initiative for Nonsmoking-VII: Evaluation of health service utilization and costs among women smokers with cardiovascular disease." *J Cardiopulm Rehabil* 24(4): 218-228.

Gonzalez, B., Lupon, J., Parajon, T., Urrutia, A., Altimir, S., Coll, R., Prats, M., & Valle, V. (2004). "Nurse evaluation of patients in a new multidisciplinary Heart Failure Unit in Spain." *Eur J Cardiovasc Nurs*3(1), 61-69.

Gronkiewicz, C., & Borkgren-Okonek, M. (2004). "Acute exacerbation of COPD: nursing application of evidence-based guidelines." *Crit Care Nurs Q* 27(4), 336-352.

Hamilton, G., M. O'Connell, et al.(2004). "Adolescent smoking cessation: development of a school nurse intervention." *J Sch Nurs* 20(3): 169-74.

Heath, J., Andrews, J, Balkstra, CR. (2004). "Potential reduction exposure products and FDA tobacco and regulation: a CNS call to action." *Clin Nurse Spec*, 18(1):40-8.

Holt, K. (2004). "Improving early detection of COPD: the role of spirometry screening assessment." *Prof Nurse*, 20(3), 31-33.

Inoue, K., Kakehashi, Y., Oomori, S., & Koizumi, A. (2004). "Biochemical hypoglycemia in female nurses during clinical shift work." *Res Nurs Health*, 27(2), 87-96.

Jesse, D.E. & Reed, P.G. (2004) "Effects of spirituality and psychosocial well-being on health risk behaviors in Appalachian pregnant women". *J Obstet Gynecol Neonatal Nurs*, 33(6):739-47.

Jones, P. (2004). "Nurses speak out against the marketing of tobacco." *Home Healthc Nurse* 22(9): 652.

Karner, A., Dahlgren, M. A., & Bergdahl, B. (2004). "Coronary heart disease: causes and drug treatment--spouses' conceptions." *J Clin Nurs*, 13(2), 167-176.

Kaufman, J.S., Cheek, D.J. (2004). "Men's cardiovascular and pulmonary health." *Nurs Clin North Am*39(2):283-300.

Kim, S., D. Koniak-Griffin, et al. (2004). "The impact of lay health advisors on cardiovascular health promotion: using a community-based participatory approach." *J Cardiovasc Nurs*, 19(3): 192-9.

Lin SX, Gebbie KM, Fullilove RE, Arons RR. (2004). "Do nurse practitioners make a difference in provision of health counseling in hospital outpatient departments?" *J Am Acad Nurse Pract*, 16(10), 462-6.

Lloyd, K. and K. Wise (2004). "Protecting children from exposure to environmental tobacco smoke." *Nurs Times*,100(23): 36-8.

Powe BD, Finnie R. (2004). "Knowledge of oral cancer risk factors among African Americans: do nurses have a role?" *Oncol Nurs Forum* 13;31(4):785-91.

Sarna, L., & Bialous, S. (2004). Why tobacco is a women's health issue. *Nurs Clin N Am*, 39, 165-180 .

Shuttleworth, A. (2004). The role of nurses in reducing the use of tobacco. *Nurs Times*. 100(1):26-8.).

Stotts, R.C. (2004). "Cancers of the prostate, penis, and testicles: epidemiology, prevention, and treatment." *Nurs Clin North Am* 39(2):327-40.

Strawhacker, M. T. and J. Wellendorf (2004). "Caring for children with cystic fibrosis: a collaborative clinical and school approach." *J Sch Nurs*, 20(1): 5-15.

Struthers, R. and F. S. Hodge (2004). "Sacred tobacco use in Ojibwe communities." *J Holist Nurs*, 22(3): 209-25.

2003

Burns, D. M. (2003). "Tobacco-related diseases." *Semin Oncol Nurs*, 19(4): 244-9.

Bialous, S., Kaufman, N., & Sarna, L. (2003). Tobacco Control Policies. *Semin Oncol Nurs*, 19(4), 291-300.

Chan, S. and T. H. Lam (2003). "Preventing exposure to second-hand smoke." *Semin Oncol Nurs*, 19(4): 284-90.

Cramer ME, Mueller KJ, Harrop D. (2003). "Evaluation informs coalition programming for environmental tobacco smoke reduction." *J Community Health Nurs*, 20(4):245-58.

DiFranza, J. R., & Wellman, R. J. (2003). Preventing cancer by controlling youth tobacco use. *Semin Oncol Nurs*, 19(4), 261-267.

Glennon, C., Laczko, L. (2003). "Lung Cancer Awareness Week." *J Sch Nurs* 19(5):301-4.

Halm, M. A., & Denker, J. (2003). Primary prevention programs to reduce heart disease risk in women. *Clin Nurse Spec*, 17(2), 101-109; quiz 110-101.

Hutchinson, K. M., & Froelicher, E. A. (2003). "Populations at risk for tobacco-related diseases." *Semin Oncol Nurs*, 19(4), 276-283.

Jairath, N., Mitchell, K., & Filleon, B. (2003). Childhood smoking: the research, clinical and theoretical imperative for nursing action. *Intl Nurs Rev*, 50(4), 203-214.

Johnson, J. L., Lovato, C. Y., Maggi, S., Ratner, P. A., Shoveller, J., Baillie, L., & Kalaw, C. (2003). "Smoking and adolescence: narratives of identity." *Res Nurs Health*, 26(5), 387-397.

Lenz, B. K. (2003). "Correlates of young adult tobacco use: application of a transition framework." *J Sch Nurs*, 19(4): 232-7.

Levine, R., Husaini, BA, Emerson, JS, Hull, PC, Briggs, NC, Moriarty, CJ, Cain, VA. (2003). "Using a nursing protocol to assure equitable delivery of cancer-related prevention services." *Cell Mol Bio(Noisy-le-grand)* 49(8): 1229-32.

Percival, J., Bialous, S. A., Chan, S., & Sarna, L. (2003). International efforts in tobacco control. *Semin Oncol Nurs*, 19(4), 301-308.

Pletsch, P. K., Morgan, S., & Pieper, A. F. (2003). "Context and beliefs about smoking and smoking cessation." *MCN Am J Matern Child Nurs*, 28(5), 320-325.

Resnick, B. (2003). Health promotion practices of older adults: testing an individualized approach. *J Clin Nurs*, 12(1), 46-55; discussion 56.

Sarna, L., Cooley, M., & Danao, L. (2003). The Global Epidemic of Tobacco and Cancer. *Semin Oncol Nurs*, 19(4), 233-243.

Sheetz AH. (2003). "Developing school health services in Massachusetts: a public health model." *J Sch Nurs*, 19(4):204-11.

Tod, A. M. (2003). "Barriers to smoking cessation in pregnancy: a qualitative study." *Br J Community Nurs*, 8(2), 56-64.

Turkistanli, E.C., Sogukpinar, N., Saydam, B.K., Aydemir, G. (2003). "Cervical cancer prevention and early detection-the role of nurses and midwives." *Asian Pac J Cancer Prev* 4(1):15-21.

2002

Dowdell, E.B. (2002). "Urban seventh graders and smoking: a health risk behavior assessment." *Issues Compr Pediatr Nurs* 25(4):217-29.

Duaso, M. J., & Cheung, P. (2002). "Health promotion and lifestyle advice in a general practice: what do patients think?" *J Adv Nurs*, 39(5), 472-479.

Gaffney, K.F., Wichaikhum, O.A., Dawson, E.M. (2002). "Smoking among female college students: a time for change." *J Obstet Gynecol Neonatal Nurs* 31(5):502-7.

Lee, F. H., & Wang, H. H. (2002). "Effects of health education on prevention of smoking among eighth-grade students." *Kaohsiung J Med Sci*, 18(6), 295-304.

Lendahls, L., Ohman, L., Liljestrang, J., & Hakansson, A. (2002). "Women's experiences of smoking during and after pregnancy as ascertained two to three years after birth." *Midwifery*, 18(3), 214-222.

Meer, P. A. (2002). "Tobacco + teens = trouble." *School Nurse News* 19(5): 40-3; quiz 44.

Pletsch, P. K., & Morgan, S. (2002). Smoke free families: a tobacco control program for pregnant women and their families. *J Obstet Gynecol Neonatal Nurs*, 31(1), 39-47.

Sarna, L., & Lillington, L. (2002). Tobacco: an emerging topic in nursing research. *Nurs Res*, 51, 245-253

Skybo, T. A., & Ryan-Wenger, N. (2002). A school-based intervention to teach third grade children about the prevention of heart disease. *Pediatr Nurs*, 28(3), 223-229, 235.

Spencer, L., F. Pagell, et al. (2002). "Applying the transtheoretical model to tobacco cessation and prevention: a review of literature." *Am J Health Promot*, 17(1): 7-71.

Stepans, M. B. and J. R. Knight (2002). "Application of Neuman's framework: infant exposure to environmental tobacco smoke." *Nurs Sci Q*, 15(4): 327-34.

Wewers, M. E., & Uno, M. (2002). Clinical interventions and smoking ban methods to reduce infants' and children's exposure to environmental tobacco smoke. *J Obstet Gynecol Neonatal Nurs*, 31(5), 592-598.

2001

Arborelius, E., & Bremberg, S. (2001). Child health-centre-based promotion of a tobacco-free environment--a Swedish case study. *Health Promot Intl*, 16(3), 245-254.

Brown, M.L. (2001). "The effects of environmental tobacco smoke on children: Information and implications for PNP's." *J Pediatr Health Care* 15(6):280-6.

Chan, S. (2001). Nurses as leader in Tobacco Control and Smoking Cessation (pp. p. 8): Hospital Authority Nursing Section Newsletter.

Chen, H.S., Percy, M.S., Horner, S.D. (2001). "Cigarettes: a growing problem for Taiwanese adolescents." *J Community Health Nurs* 18(3):167-75.

Faucher, M. A., & Carter, S. (2001). Why girls smoke: a proposed community-based prevention program. *J Obstet Gynecol Neonatal Nurs*, 30(5), 463-471.

Kirton, C. A. (2001). Promoting healthy behaviors in HIV primary care. *Nurse Pract Forum*, 12(4), 223-232.

Miller, M. P., J. Gillespie, et al. (2001). "Prevention of smoking behaviors in middle school students: student nurse interventions." *Public Health Nurs* 18(2): 77-81.

von Bothmer, M., & Fridlund, B. (2001). Promoting a tobacco-free generation: who is responsible for what? *J Clin Nurs*, 10(6), 784-792.

2000

Burchfield, J., Marenco, A., Dickens, D., & Willock, K. M. (2000). An anti-smoking project instituted by senior nursing students in a rural community. *Issues Compr Pediatr Nurs*, 23(3), 155-164.

Busen, N.H., Modeland, V., Kouzekanani, K. (2000). "Adolescent cigarette smoking and health risk behavior." *J Pediatr Nurs* 16(3):187-93.

Frost-Rude, J. A., Nunnelee, J. D., & Spaner, S. (2000). "Buerger's disease." *Journal of Vascular Nursing*, 18(4), 128-132.

Heimann, K. J. (2000). A school-based intervention program to prevent adolescent smoking. *J Nurs Sch*, 16(4), 22-27.

Hughes, S. (2000). Novel risk factors for coronary heart disease: emerging connections. *J Cardiovasc Nurs* 2000 Jan;14(2):91-103, 14(2), 91-103.

Marcus, M. (2000). An interdisciplinary team model for substance abuse prevention in communities. *J Prof Nurs*, 16(3), 158-168.

McGahee, T. W., Kemp, V., & Tingen, M. (2000). A theoretical model for smoking prevention studies in preteen children. *Pediatr Nurs*, 26(2), 135-138, 141.

Sheahan, S. L. (2000). Documentation of health risks and health promotion counseling by emergency department nurse practitioners and physicians. *J Nurs Sch*, 32(3), 245-250.

West, R., McNeil, A., Raw, M. (2000). "Smoking cessation guidelines for health professionals: an update." *Thorax*, 55, 987-999.

1999

Cameron, R., Brown, K., Best, J., Pelkman, C., Madill, C., Manske, S., et al. (1999). Effectiveness of a social influences smoking prevention program as a function of provider type, training method, and school risk. *Am J Public Health*, 89(12), 1827-1831.

Giarelli, E. (1999). Prevention of smoking among adolescent girls: health promotion strategies for nurses. *J Nurs Sch*, 15(1), 23-28.

Sarna, L. P. (1999). Hope and vision. Prevention: tobacco control and cancer nursing. *Cancer Nurs*, 22(1), 21-28.

1998

Campbell, N. C., L. D. Ritchie, et al. (1998). "Secondary prevention in coronary heart disease: a randomised trial of nurse led clinics in primary care." *Heart*, 80(5): 447-52.

Mahoney, M., Costley, C., Cain, J., Zaiger, D, McMullen, S. (1998). School Nurses as Advocates for Youth Tobacco Education Programs: The TAR WARS Experience. *J School Health*, 68(8), 339-341.

Martin, J. (1998). Nurses important in tobacco use prevention, control. *Nebr Nurse*, 31(3), 18.

Sarna, L. (1998). Too little discussion of tobacco-related diseases and deaths. *Image J Nurs Sch*, 30(4), 310.

Trinkoff, A., Storr, C. (1998). Substance use among nurses: differences between specialties. *Am J Public Health*, Apr ; 88: 581 - 585.

1997

Arborelius, E., & Nyberg, K. (1997). How should midwives discuss smoking behaviour in pregnancy with women of low educational attainment? *Midwifery*, 13(4), 210-215.

Carlsson, R., Lindberg, G., Westin, L., & Israelsson, B. (1997). "Influence of coronary nursing management follow up on lifestyle after acute myocardial infarction." *Heart*, 77(3), 256-259.

1996

Gallagher, J., & Holm, L. (1996). Power of one: nurses and tobacco control. *Semin Oncol Nurs*, 12(4), 270-275.

Keegan, J. (1996). Implementing a smoking ban: an analysis of nurses' attempts to negotiate change. *Aust J Adv Nurs*, 14(1), 8-12.

Laschinger, H. K. (1996). Undergraduate nursing students' health promotion counselling self-efficacy. *J Adv Nurs*, 24(1), 36-41.

1995

Merrill, E. (1995). "Preventing tobacco use in young people: strategies for the nurse practitioner." *Nurse Pract Forum* 6(1): 34-9.

Sarna, L., & Brown, J. (1995). Tobacco prevention and cessation in oncology nursing practice, education, and research. *Oncol Nurs Forum*, 22, 256-277.

1994

Bolinger, C. (1994). Smoking prevention in childhood cancer survivors. *J Pediatr Oncol Nurs*, 11(4), 167-171.

Richardson, M. (1994). Nursing implementation of smoking bans on psychiatric wards. *J Psychosoc Nurs Ment Health Serv*, 32(6), 17-19.

1993

Hollis, J., Lichtenstein, E., Vogt, T., Stevens, V., & Biglan, A. (1993). Nurse-assisted counseling for smokers in primary care. *Ann Intern Med*, 118(7), 521-525.

1992

Rasco, C. (1992). Discouraging smoking: interventions for pediatric nurse practitioners. *J Pediatr Health Care*, 6(4), 200-207.

Santi, S. M., J. A. Best, et al. (1992). "A comparison between instructional experience and performance of teachers and nurses delivering a smoking prevention program." *Can J Public Health*, 83(6): 433-6.

1991

Adriaanse, H., & van Reek, J. (1991). Tobacco prevention in hospitals needs prolonged and sustained effort. *Br J Addict*, 86(6), 703-704.

Gulick, E., Hayes, J., & Kennelly, L. (1991). Smoking among women: a life cycle perspective on which to base prevention/cessation interventions. *Oncol Nurs Forum*, 18(1), 91-102.

Harrison, M. (1991). Assessment of the smoking prevention and cessation needs of Canadian student nurses & registered nurses. *Can J Cardiovasc Nurs*, 2(1), 22.

1990

Bell, J., & Keir, S. (1990). Health education. Advice given to coronary patients. *Nurs (Lond)*, 4(5), 24-26.

1989

Robson, J., Boomla, K., Fitzpatrick, S., Jewell, A., Taylor, J., Self, J., et al. (1989). Using nurses for preventive activities with computer assisted follow up: a randomised controlled trial. *BMJ*, 298(6671), 433-436.

1987

Ackerman, A., Froman, D., & Becker, D. (1987). The multiple risk factor intervention trial (MRFIT): implications for nurses. *Prog Cardiovasc Nurs*, 2(3), 92-99.

1983

Faulkner, A., & Ward, L. (1983). Nurses as health educators in relation to smoking. *Nurs Times*, 79(15), 47-48.